

TENDER DOCUMENT OF PRINTING OF IEC/BCC MATERIALS

Terms & Conditions

1. Sealed Quotations are invited from interested/ reputed firms/ agencies having adequate experience in all types of printing item i.e. poster, leaflet, Flex, erection of hoardings, Cloth Banner & branding works. The firm/ agency should have valid DIC / MSME, PAN No, AADHAAR No, GST registration etc. as detailed mentioned in technical bid of Tender Form (part-1). Photo copy of all documents should be submitted along with bid documents.
2. The tender document should reach in prescribed format to the office of “**Chief District Medical & Public Health Officer, Sambalpur, At /Po. District Head Quarter Hospital campus, Modi pada, Dist-Sambalpur, PIN-768002**” only through Speed Post / Regd. Post / courier on or before dt **2.5.2023 till 1.00 P.M.**The envelope must be super scribed by “**Tender documents for printing of IEC/BCC materials-2023-24**”.The tender shall be opened on **Dt 6.05.2023 at 11.30A.M** at **Office Chamber of CDM & PHO, Sambalpur** in the presence of bidders or their authorized representative.
3. Interested bidders can obtain detailed terms and conditions from the website for taking up this assignment. The bidder can download the tender documents from district website **www.sambalpur.nic.in.** (Address of district website).
4. Bid will be submitted in two parts i.e. **Technical Bid (Cover – A)** and **Financial Bid (Cover – B)**. The bidders should give their technical and financial proposal separately in two envelopes and both should be put into third cover which must be super scribed as “**Tender Documents for Printing of IEC/BCC Materials -2023-24**”.
5. The organisation must ensure provision of service in Sambalpur as and when required by the authority. The bidder has to keep a clause in affidavit that he agrees to ensure provision of service in Sambalpur. Preference will be given if the bidder has office with in the Sambalpur district, in view of urgency delivery should be made in short time. Bidder is liable to be black listed with forfeiture of security deposit, if he/she fails to comply or makes deviation in providing service/ delivery of printing materials in time, if so observed by the competent authority.
6. The bidder should not have any past record of poor performance. The bidder has to submit an affidavit in this regard. The agency who had not supplied materials against the purchase order earlier or executed work order being finalized as L-1 in the process are not eligible to participate in the tender process called for. No further arguments in this matter will be entertained.
7. Bidder is required to submit tender documents in the sequence provided in **Technical Bid Cover – A** after assigning annexure no’s to the photo copy of documents submitted otherwise bid submitted will be rejected. Bids received with changes in the formats published will be liable to be rejected. **If any bidder changes the format of either Technical Bid (Cover – A) or Financial Bid (Cover – B) then his bid will be out rightly rejected without assigning any reason thereof .**
8. **Bidder has to quote single rate for a single item in the financial bid. If any bid found with multiple rates for single item then it will be out rightly rejected without any further arguments.**
9. The organisation should have minimum three Years of experience in all types of printings such as poster, leaflet, flex, Cloth Banner, painting & branding works. Organization will have to produce photo copy of work orders

from any Govt. Organisation only. Year of experience will be calculated from the date of first work order received from any Govt. Organisation in relation to printing of materials as detailed in the list of items for printing materials and not from the date of incorporation of the organisation.

10. The annual turnover of the organization must not be less than **Rs.20,00,000/- (Rupees Twenty Lakhs Only)** in last financial year.(i.e. 2021-22).(GST return should be submitted in support of proof for turnover of the organisation).
11. Organization will have to submit IT return of last 3 financial years. (I.e. for F.Y-2019-20, 2020-21 and 2021-22).
12. Bidder will have to submit Demand Draft of **Rs. 1000/- (Rupees One thousand only)** as tender paper cost (non-refundable) in favour of “**ZSS NON NRHM A/C,Sambalpur**” along with bid document.
13. Bid documents must be accompanied with EMD of **Rs.20,000/- (Rupees Twenty Thousands only)** in shape of Demand Draft drawn on any Nationalized Bank in favour of “**ZSS NON NRHM, Sambalpur**” payable at Sambalpur Bid documents without EMD will be summarily rejected. EMD of unsuccessful bidders will be returned without interest on finalization of tender. EMD of successful bidder will be retained as Performance Security & will be refunded without interest only after completion of one year from the date of finalisation of tender. Performance Security is liable to be forfeited if bidder violates or fails to comply with the terms and conditions of the tender.
14. **The organization will have to submit a Single Affidavit with Rs.20/- non judicial stamp paper, with following clauses:-**
 - a. It has not been blacklisted by any Government Organization. The organization does not have any legal suit / criminal case pending against it for violation of Income Tax Act, GST or any other law of India.
 - b. That the organization agrees to abide by all terms & conditions of the tender.
 - c. That the organization agrees to ensure provision of service in Sambalpur district.
 - d. That the organization had never refused to supply any item after receipt of work order from this office for any reason.
15. All documents submitted must be signed by the authorised signatory of the organisation with seal.
16. Quantity proposed to be printed is an estimate, only on the basis of past experience and not the actual quantity to be printed. So, actual quantity of materials to be printed may vary. Printing work will be done throughout the year in phased manner and not in a single works contract during the valid period of contact as per requirement.
17. The organization will quote prices inclusive of all taxes & charges. The CDM & PHO, Sambalpur will have no liability regarding transportation, loading, unloading of materials and all material ordered shall be delivered at the designated place in good condition and fixing the material at institution level as per order. The defective or damaged printed materials if any have to be replaced by the supplying agency. The delivery must be actual as per quantity ordered which will be verified after delivery and no process damage will be entertained.
18. The order for change of flex/fabric in hoardings in the district & block must be completed within time specified as per work order.
19. If there is any contradiction between price quoted in figure and word then price quoted in word shall prevail over price quoted in figure.
20. **Conditional bids are liable to be rejected.** In the event of acceptance, CDM & PHO, Sambalpur decision will be final. Bids which are not as per required specifications will not be considered.

21. The CDM & PHO, Sambalpur will not pay any advance payment to the organisation. The organisation will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in this regard. The approved agency shall have to submit the photographs & certificates from the competent authority after completion of works i.e. wall painting, change of flex at hoardings, mounting of IEC materials etc. at block level & its peripheral area for release of payment.
22. The bidders have to submit the sample copies of different specifications of papers (duly signed & sealed) to be used in printing materials (**wherever required**) as mentioned in **Annexure – A**. The cost towards the testing of samples will be borne by the successful bidder if any. The sample papers should be duly signed & sealed by the authorized signatory of the applying firm.
23. Selection of the item will be on the basis of quality of sample finalised by the committee members wherever applicable.
24. Bidders are not allowed to check bid documents of another bidder in any circumstances except sample papers submitted by bidders.
25. Under no circumstance, the organization shall not appoint any sub-contractor or sublease the contract. If it is found that the organization has violated these conditions the contract will be terminated forthwith without any notice and security deposited by the organization shall be forfeited.
26. **The rate approved will be valid for Two year from the date of finalisation of tender** Which can be extended further if mutually agreed The successful bidder is required to provide printing materials as per requirements placed by any of the wings of CDM & PHO, Sambalpur during the valid period of tender.
27. Only bidder himself or his authorised representative is allowed to remain present during opening of the tender. No authorised representative is allowed without proper authorisation from bidder.
28. The CDM & PHO, Sambalpur reserves the right to accept or reject all or any of the bid documents without assigning any reasons thereof.
29. All legal disputes are subject to the jurisdiction of Sambalpur Court only.

**Chief District Medical & Public Health Officer
Sambalpur**

Cover - A
Technical Bid

SI No	Particulars	(Clearly mention complete details required, don't mention only yes / no or annexure no here)	Annexure No
1.	Name of the Organisation		1
2.	Address of the Organisation		
3.	Name of the Authorised Signatory. (In capital letter)		
4.	Authorisation & Specimen signature of the authorised signatory.		
5.	Telephone No/ Mobile No of the Authorised Signatory/ Organisation.		
6.	DIC / MSME (Attach photo copy of DIC / MSME registration certificate)		4
7.	PAN No of the organisation / Proprietor / Managing Partner / Director of the organisation (Attach photo copy of PAN Card)		5
8.	AADHAR No of Proprietor /Managing Partner /Director of the organisation		6
9.	GST registration No (Attach photo copy of registration certificate)		7
10.	The organisation must have three Years of experience in all types of printings such as poster, leaflet, flex, erection of		8

	hoardings & branding works. (Attach photo copies of work orders received from any Govt. organisation on printing materials).		
11.	The annual turnover of the organization must not be less than Rs.20,00,000/- (Rupees Twenty Lakhs Only) in last financial years.(i.e. 2021-22). <i>GST return should be submitted in support of proof for turnover of the organisation</i>		9
12.	Organization will have to submit IT return of last 3 financial years. (I.e. for F.Y- 2019-20, 2020--21and 2021-22)		10
13.	<p><u>The organization will have to submit Single Affidavit with following clauses:-</u></p> <p>1. It has not been blacklisted by any Government Organization.The organization does not have any legal suit / criminal case pending against it for violation of IT, Service tax, GSTor any other law.</p> <p>2. That the organization agrees to abide by all terms & conditions of tender.</p> <p>3. That the organization agrees to ensure provision of service in Sambalpur district.</p>		

	4. That the organization had never refused to supply any item after receipt of work order from this office for any reason.		
14.	Tender paper cost in shape of Demand Draft of Rs. 1000/- (Rupees thousand only)	Details of Demand Draft along with details of Drawee Bank	
		Draft No:	
		Name of the Bank :	
		Branch address:	
		Amount (Rs.):	
15.	EMD in shape of Demand Draft of Rs.20,000/- (Rupees Twenty Thousands only)	Details of Demand Draft along with details of Drawee Bank	
		Draft No:	
		Name of the Bank :	
		Branch address:	
		Amount (Rs.):	
16.	Whether all documents submitted signed by the authorised signatory of the organisation (Yes / No)		

DECLARATION

I / We hereby declare that, the terms and conditions, specification etc. given with the tender notice have been read carefully and it is acceptable to me/us and that the information furnished above is full and correct to the best of my / our knowledge. I/ We understand that in case of any deviation in the above statement at any state, the Firm/Agency will be blacklisted and will not have any dealing with it in future.

Place :

Date :

Seal & Signature of authorised Signatory

Mobile No:

(Financial Bid- Cover -B)

SI No	NAME OF THE ITEM	SPECIFICATION	Unit of measure	Rate Quoted(i nclusive of taxes)		
				(in figure& words)		
1	Poster for GKS/WKSSwasthya Kantha	Size - 44 cm X 56 cm, Process Multi colour (Four colour), Paper- 130 GSM Art Paper, Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece Rate			
2	Calendar	Size - 75 cm X 50 cm, Process Multi colour (Four colour), Paper- 170 GSM Art Paper, Fixing with adhesive double side Gum tape on the back side of the Calendar.	Per Piece Rate			
3		Size – 44 cm X 56 cm, Paper – 170 GSM Art Paper, Process – Multi Colour ,Glossy Printing.	Per Piece Rate			
	Poster	Size – 44 cm X 56 cm, Paper – 130 GSM Art Paper, Process – Multi Colour,Glossy Printing.	Per Piece Rate			
		Size – 44 cm X 56 cm, Paper – 170 GSM Art Paper, Process – Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece Rate			
		Size – 44 cm X 56 cm, Paper – 130 GSM Art Paper, Process – Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece Rate			
		Size: 59CMX45.5CM	Per Piece Rate			
		Process: Multi Colour (4 Colour 4 Type) Paper 130 gsm Art Paper, Back Side Adhesive.				
		Size: 59CMX45.5CM	Per Piece Rate			
		Process: Multi Colour (4 Colour 2 Type) Paper 130gsm Art Paper, Back Side Adhesive.				
	Size: 44CMX56CM	Per Piece				

		Process: SingleColour , Paper 130 gsm Art Paper, Back Side Adhesive.	Rate			
4	Leaflet	Size – 22 cm X 28 cm, Paper – 130 GSM Art Paper, Process – Multi Colour glossy, Single side Print.	Per Piece Rate			
		Size – 22 cm X 28 cm, Paper – 130 GSM Art Paper, Process – Multi Colour glossy, Both Side printing.	Per Piece Rate			
		Size – 22 cm X 28 cm, Paper – 90 GSM Art Paper, Process – Multi Colour glossy, Single side Print.	Per Piece Rate			
		Size – 22 cm X 28 cm, Paper – 90 GSM Art Paper, Process – Multi Colour,glossy, Both Side printing	Per Piece Rate			
		Size – 15.5 cm X 21.8 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Single side Print.	Per Piece Rate			
		Size – 15.5 cm X 21.8 cm, Paper – 130 GSM Art Paper, Process – Multi Colour, Both Side Printing	Per Piece Rate			
		Size – 15.5 cm X 21.8 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Single Side Print.	Per Piece Rate			
		Size – 15.5 cm X 21.8 cm, Paper – 90 GSM Art Paper, Process – Multi Colour, Both Side printing	Per Piece Rate			
5	Folder	Open Size – 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
		Open Size – 44 cm X 28 cm, Close Size - 22 cm X 28 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
		Open Size – 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			

		Open Size – 36 cm X 24.5 cm, Close Size - 18 cm X 24.5 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
		Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 220 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
		Open Size – 28 cm X 14 cm, Close Size - 14 cm X 14 cm, Paper – 170 GSM Art Paper, Process - Multi colour, Single fold, 4 pages, Both side printing	Per Piece Rate			
6	Handouts	Job Type- Folder design, colour, front + back, CMYK (4 Colour), Orientation- Landscape, Print Process- Offset, Paper Quality- 100 GSM, Final Print Size- 24.75” X 11.69” inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece Rate			
		Size-7 ½ x16 ¾ Inches	Per Piece Rate			
		Paper: 300 gsm Art paper Multi Colour back to back.				
		Binding : 2 fold,Machine Ceasing.				
		Size-7 ½ x16 ¾ Inches	Per Piece Rate			
		Paper: 300 gsm Art paper Multi Colour back to back.				
		Binding :3fold,Machine Ceasing				
		Size-1/4 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate			
		Size-1/6 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper : 170 gsm Map Litho.	Per Piece Rate			
		Size-1/4 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper :300 gsm Map Litho.	Per Piece Rate			
Size-1/6 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper : 300 gsm Map Litho.	Per Piece Rate					

7	Flipcharts	Job Type- Flipchart, colour print , front + back, CMYK (4 Colour) Orientation- Portrait, wall calendar style, Refer to image, Print process- Offset, Paper type- 170gsm – 220gsm, uncoated, Final print size- 16.54” X 23.39” inches (A2) Post Process: Spiral Binding, Cardboard on the back, Metal eye (rivet) for hanging it from a nail, Front & Back mirror printing: 1-3,2-5,4-7,6-9,8-11,10-13.....20 blank	Per Piece Rate			
8	Docket	Job Type- Colour, Front + Back, CMYK (4 Colour), Pre-Press – Make a screen, Landscape –Portrait, Printing Process- Offset Printing/ Screen Print, Paper Type- 300 GS Matt. Final Print Size – 9 inches X 12 inches, A4 folder, White. Post Process- Pasting of A4 sheet- if you choose offset, Creasing – If you choose offset	Per Piece Rate			
9	Hand Bill	Job type- Colour, Front + Back, CMKY(4 Colour) Orientation: Portrait, Printing Process -Offset Printing, Paper type 130 GSM, Uncoated, Print size 8.27” X 11.69”	Per Piece Rate			
10	Patient Treatment Card Book let	Cover Page Open Size - 28cm X 22cm, Close Size – 14cm X 22cm, Printing Process - Multi colour with both side printing, Paper quality - 220 GSM Art Paper. Single Fold 4 pages. Inner Page Open Size - 28cm X 22cm, Close Size – 14cm X 22cm, Printing Process -black & white both side printing, Paper quality - 80 GSM paper single fold. Total Inner page five pages of open size. Post Process - to be stapled in the middle of the booklet.	Rate per Booklet			

11	Patient Case Card	1/4 Demy single colour, Paper 250gsm with both side printing.	Rate per Booklet			
12		Printing of forms in A 4 Paper, Single SidePrinting, 60-70 GSM	Per Piece Rate			
	Printing of Forms	Printing of forms in A 4 Paper, Double SidePrinting, 60-70 GSM	Per Piece Rate			
		Printing of forms in A 3 Paper, Single Side Printing, 60-70 GSM	Per Piece Rate			
		Printing of forms in A 3 Paper, Double Side Printing, 60-70 GSM	Per Piece Rate			
		Printing of forms in A 2 Paper, Single Side Printing,60-70 GSM	Per Piece Rate			
		Printing of forms in A 2 Paper, Double Side Printing, 60-70 GSM	Per Piece Rate			
		Printing of forms in Legal Paper, Single Side Printing, 60-70 GSM	Per Piece Rate			
		Printing of form`s in Legal Paper, Double Side Printing,60-70 GSM.	Per Piece Rate			
		Printing of forms in Legal Paper, Single Side Printing,90 GSM	Per Piece Rate			
		Printing of forms in Legal Paper, Double Side Printing,90 GSM	Per Piece Rate			
13	HBNC Format	Unit: Booklet	Rate per Booklet			
		Size:1/4 Demy				
		Total No.Pages:12				
		Paper (All Pages):80gsm Maplitho Paper				
		Brightness:77 (Minimum)				
		Printing (All Pages):Both Side Black				
		Binding:Centre Stitching With Perforation Of Last Page (2 Nos. Of Perforation In The Last Page)				
14	Monthly Meeting Register	Unit: Register	Rate Per Register			
		Size-20cmx30cm				
		Inner Pges:100				
		Cover Pages:4				
		Paper (Inner) : 70gsm				
		Paper (Cover): 70gsm Maplitho To Be Pasted On The Hard Board Binding After				

		Printing (Inner):-Both Side Black Offset Printing.				
		Printing (Cover): Multi Colour Offset Printing of Front And Back .				
		Binding: Zoo Stitching With Thick Hard Board & Cloth Binding At Left Side Of The Register				
15	Grade Card	Unit: Card	Per Piece Rate			
		Size:1/4 Demy				
		Printing: Single Side Multi Colour Offset Printing				
		Paper:160gsm Drawing Sheet.				
16	Incentive Voucher Book (14 Assured Activities)	Unit: Booklet	Rate per Booklet			
		Size:A4				
		Total No. Of Pages:36				
		Inner Pages:32				
		Paper (Inner):70 GSM				
		Printing: Black & White Single Side Printing With Perforation.				
		Cover Pages:4				
		Printing(Cover):160gsm				
		Printing: Single Colour Printing				
17	Incentive Voucher Book (For Rest Activities)	Unit: Booklet	Rate per Booklet			
		Size:A4				
		Total No. of Pages: 68				
		Inner Pages:64				
		Paper (Inner):70 GSM				
		Printing: Black & White Single Side Printing With Perforation.				
		Cover Pages:4				
		Printing(Cover):160gsm				
		Printing: Single Colour Printing				
18	HBVC Format	Total Pages-02 x 12Months=24 Pages	Per Piece Rate			
		1 Binding With Cover .				
19	Printing of Training Module: ASHA (GKS,SCHWC and JAS)	Total Pages: 50 to 100 Pages	Rate per Book			
		Paper Size: A4				
		Cover: Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: All Pages				
20	Elderly Care (Book)	Total Pages: 40 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover: 120GSM Cover 2 Page				
		Paper: 60 or 70GSM				

		Multi Colour: All Pages				
21	Palliative Care Book)	Total Pages-64 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover: 120GSM Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: All Pages				
22	Training Manual (Book) for Elderly Care	Total Pages-16 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover: 120GSM Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: Cover Page only				
23	Training Manual (Book) for Palliative Care	Total Pages-18 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover: 120GSM Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: Cover Page only				
24	ASHA Pratikshyan (Book-06)	Total Pages-75 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover: 120GSM Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: All Pages				
25	ASHA Pratikshyan (Book-07)	Total Pages-86 With Cover Binding	Rate per Book			
		Paper Size: A4				
		Cover:120GSM Cover 2 Page				
		Paper: 60 or 70GSM				
		Multi Colour: All Pages				
26	Printing of St. Records& case card	Black & white Printing booklet:	Rate			
		Paper Size- Open: 42cm X 28 cm, Close: 21cm X 28 cm, 2 fold. Total pages – Four pages of Open size with both side printing.	Per Booklet			
		Post Process – Stapling as booklet of 8 pages as close size. Paper Quality – 60 or 70 GSM				
27	Booklet	B/W printing of Binding Booklet - 100 pages (50+50) Original & Duplicate, Paper size-A 4, Paper Quality – 60 to 70 GSM.	Rate			

		Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover of the booklet with tearing mark at the top.	Per Booklet			
		Size-7 ½ x16 ¼ Inches	Rate			
		Paper: 300 gsm Art paper Multi Colour back to back.	Per Booklet			
		Binding : 2 fold,Machine Ceasing.				
28	Register	B/W Both side printing & Binding - 100 pages, Paper size-A 3, Paper Quality – 60 to 70 GSM.	Rate per Register			
		Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.				
29	Register	B/W Both side printing & Binding - 200 pages, Paper size-A 3, Paper Quality – 60 to 70 GSM.	Rate per Register			
		Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.				
30	Rolling Register	120 pages, Paper Size –FS (34.5 x 21.5) cm, Paper Quality – 60 to 70 GSM. Post Process:- Binding with card board on front & back cover of register.	Rate per Register			
31	Rolling Register	240 pages, Paper Size – FS (34.5 x 21.5) cm, Paper Quality – 60 to 70 GSM. Post Process:- Binding with card board on front & back cover of register.	Rate per Register			
		100 Pages register with single side printing, Paper Size- A 4 (21 X 29.7) cm, Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			

		100 Pages register with single side printing, Paper Size- FS (21.5 X 34.5) cm, Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			
		100 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			
		200 Pages register with single side printing, Paper Size- A 4 (21 X 29.7) cm , Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			
		200 Pages register with single side printing, Paper Size- FS (21.5 X 34.5) cm , Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			
32	Register	200 Pages register with single side printing, Paper Size- (28.5 x 41.5) cm, Paper Quality- 60 – 70 GSM. Post Process:- Binding with Thick paper on front & card board on back cover of register.	Rate per Register			
		300 Pages Register, Paper size- A 3, Single side print Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the front &back side of Register.	Rate per Register			
		300 Pages Register, Paper size- A 3, both side printing, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the front &back side of Register.	Rate per Register			

33	Incentive Voucher book	50 pages voucher book with single side Printing, Paper quality - 60 – 70 GSM, Paper size - (10.5 X 29.7) cm. Post Process:- Binding with 170 or 220 GSM paper on front & back cover & Tearing mark in the voucher book.	Rate per voucher book			
34	Envelope	Printing of Yellow colour Envelope for X-ray film, free size for 10 inches X 12 inches X-ray film, Paper quality-80 GSM .	Rate per Envelope			
		Printing of Yellow colour Envelope for X-ray film, free size for 12 inches X 15 inches X-ray film, Paper quality-80 GSM.	Rate per Envelope			
35	Sticker	Sticker size - 14 cm X 22, Paper quality - Sticker Paper with multi colour printing.	Rate per Sticker			
		Sticker size - 28 cm X 44, Paper quality - Sticker Paper with multi colour printing.	Rate per Sticker			
36	E-Auto Sticker	Size:9"x9"	Rate Per Sq. Ft			
		Logo (NHM& Odisha Govt) Stickers for E-Auto Front ,Vinyl print with backside Adhesive .				
		Size:10"x20"	Rate Per Sq. Ft			
		E-Auto Both Side Branding , (Odia & English) ,Vinyl print with backside Adhesive.				
37	Standee	Aluminium /IronFramed standee including multi colour flex printed banner (Folding Type)	Rate per standee			
		Size-5'x3',3'x2'	Rate per sqft			
		Flex print 250gsm with iron frame angel of (1"x1") -printing & mounting of banner.				
38	Standee Rolling Type	Size: 6'x3'	Rate per sqft			
		Cardboard or rigid plastic such as Coroplast, paper foam board ,styrene capped foam board or expanded foam PVC				

39	Invitation Card	Size - 14 cm X 22 cm, Paper quality – 70 GSM Map litho, Process- Both side multicolour printing.	Rate per Card			
40	Certificate	Size – 5” X 9.7”, Paper quality – 250 GSM Art Paper, Process- multicolour printing.	Rate per certificate			
41	Printing of Flex Banner	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 240 GSM thickness) to be used, Post Process - 4 punch holes at each corner.	Rate Per Sq. Ft			
42	Flex print	As per requirement, Multi colour printing(250gsm)	Rate Per Sq. Ft			
		250 gsm fitting with Iron Pipe In existing hoarding located at different place of the District.	Rate Per Sq. Ft			
43	Change of Flex in Hoardings	Good quality flex with Multi colour printingand fitting on the strategic departmental Hoardings at DHH, SDH& Block CHCs&PHCs.	Rate per Sq. Ft. for Hoarding flex change			
44	Exhibit/Standee	Multi colour flex printing and fixing on the 1” iron square bar frame with inside support and fitting stand at the back side of the frame, Frame Size - 1 inch X 1 inch of Iron gauze bar of 20 gauges.	Rate Per Sq. Ft			
45	Vehicle Decoration	<p>Decoration of TATA ACE /MAGIC Vehicle on various campaign programme. The vehicle is to be designed & fitting with good quality flex framed with iron square bar of size, sound system and Day Hiring charges Max. (50 KM running)</p> <p>1 inch X 1 inch frame</p>	A. Decoration charges			
			B. Rate per day for hiring sound system and DOL cost per vehicle per day			

46	Wall Painting	Multi Colour Painting after double coat good quality White Enamel paint over wall there after multi colour design Art Works & Writing Works, Materials to be used:- Branded Paint from Asian paint-Apex (water proof)	Rate Per Sq. Ft			
47	Printing & Mounting of IEC materials (Sun Board) at Health Institutions, VHND/UHND	Materials to be used - 3 mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Print multi colour & mounting with steel stud in 4 corners at institutions. (Including fitting charges)	Rate Per Sq. Ft			
		Materials to be used - 6mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Printing & mounting with steel stud in 4 corners at institutions. (Including fitting charges)	Rate Per Sq. Ft			
48	Retro Signage for RI & UHND/VHND points	Board Size:- 1.5 Ft Height x 1 ft Width	Rate Per Sq. Ft			
		Fitting & Fixing up signage in Retro - Reflective Sheet with 2 MM tin sheet with UV laminated as per the requirement per sq feet.				
49	Branding/	<u>Materials Specification for Branding Work</u>	Rate			
	Mounting of	(Acrylic Signage Display- Sandwich Model),	Per Sq. Ft.			
	IEC materials	Base Sheet:- Imported Acrylic Sheet - 4mm thickness.				
		Topping Sheet:- Imported Acrylic Sheet - 3mm thickness				
		Fitting type: - Wall mount with stainless stud at 4 corners, Printing Process:- Multi colour printing by using imported colour tone. Lamination:- Matte type lamination, Pasting:- Flash cut and should be orderly pressing without air bubble inside.				
50	Cloth Banner	Size – 48" X 16" , Yellow Colour with blue print letter	Rate per unit			
		Size – 100" X 32", Yellow Colour with	Rate per			

		blue print letter	unit			
51	Branding of MHT Vehicles	Eco solvent printing on Vinyl substrate with snickering provision for sharper image quality. Multicolour Stickers to be made as per sample (Graphics provided in the prototype given <u>Annexure-B-Branding of MHT Vehicle</u> in PDF.	Rate per Vehicle Branding			
52	IPU Sign Board	Size-6'x4'	Rate			
		Front Sign Board-Sunboard with vinyl print thickness 3mm (sun board)	Per Sq. Ft.			
		Size-3'x6'	Rate			
		Facility display board-sunboard with vinyl print thickness 3mm (sun board)	Per Sq. Ft.			
		Size-6'x4'	Rate			
		Wall poster for paediatric room-sunboard with vinyl print thickness 3mm (sun board)	Per Sq. Ft.			
		Size-6'x4'	Rate			
		Wall poster for general therapeutic room – sunboard with vinyl print thickness 3mm (sun board)	Per Sq. Ft.			
		Size-18"x8"	Rate			
		Room identification Name Plates-Vinyl print with back side Adhesive.	Per Sq. Ft.			
53	Signage	Materials to be used: Imported Acrylic Sheet, (Sandwich Model) , Material Quality : 4 mm Thickness. Process: Multi colour snickering on acrylic sheet by using imported colour tone. Post Process:- Fitting by Wall mount with stainless stud at 4 corners/ fitting by hanging stand over / side of wall.	Rate Per Sq. Ft			

54	Digital Display Board	LED type display board, display in Red colour letter, Led composition-1024 led/ sq ft, Led Block Resolution Rate-32 X 32 led/ sq ft, Cabinet material-Metal Steel in black or gray colour. Effects: - Static/Scrolling/ Flashing, Character Style:- Normal, Bold, Italic compressed. Multiple speed setting, multiple language, Date & Time (Optional) Memory Capacity 5000 character. Availability of Editing Facility. Operating Soft Ware:- Updated version. Supported OS XP – 2000, WINDO – 7/8, Clearly visible in day & night, Scan Rate:- ¼ latest technology, Colour temperature:- 6500 K – 9500 K, Frequency:- 50 Hz, Input voltage:- AC 110/220 V +/- 10 %	Rate Per Sq. Ft			
55	Tin Plate	0.20 mm thick as per I.S 1993/93, 5 times pre-printing Chemical treatment , 4 times multi coloured printing, Transparent coating and heat treatment at 200 degreeC,Punching Hole of Diameters not more than 2mm at each corner of the sheet (All total 06 nos of punching hole) Size:90CM X 60CM , Multi Colour.	Rate per Piece			
		0.20 mm thick as per I.S 1993/93, 5 times pre-printing Chemical treatment , 4 times multi coloured printing, Transparent coating and heat treatment at 200 degree C,Punching Hole of Diameters not more than 2mm at each corner of the sheet (All total 06 nos of punching hole) Size:120CM X 90CM , Multi Colour.	Rate per Piece			
56	Glow Sign Board	Size 2 ½ ft x 4 ft Back lead flex with LED tubelight 20 mm gauge Silver coated TinBoard.(As per Requirement)	Rate per Sq ft			
57	Vinyl print(Poster)	Size 3' x2',4x3'Multi Colour Printing with back side adhesive(AS per requirement)	Rate per Sq ft			


58	Erection of new Hoarding	Size of hoarding:8'x16',15'x30',12'x15'.	Rate per Sq ft.		
		<u>Specification</u>			
		Quality: Angle/Joist Frame Used should be of Good Quality.			
		Joist- 5"x2.5"			
		Angle-3"x3"			
		Angle 2"x2"			
		<ul style="list-style-type: none"> Base of each pole of the hoarding should be buried at least 2 ½ feet and cement concreted all around the buried part as well as 1 Ft above the ground. 			
		<ul style="list-style-type: none"> Frame should be of Iron Angle 			
		<ul style="list-style-type: none"> Fabric / cloth should be of good quality with digital multicoloured printing. 			
		<ul style="list-style-type: none"> Fabric / cloth should be fixed by iron pipes and GI Wires. 			
<ul style="list-style-type: none"> Structure of the hoarding will be at a height of 5 feet from the ground level so as to be clearly visible from distance. 					
<ul style="list-style-type: none"> Care must be taken not to selection behind the tree/ any other structure obstructing behind the view. 					
<ul style="list-style-type: none"> The hoarding should be so installed (preferably at right angle to the direction of passing road/entrance to the campus area) that it easily catches the vision of the passers by people. 					
59	Welcome Board of MAS	Size of hoarding :- 2ft & 1 Ft	Rate per Sq ft		
		<u>Specification</u>			
		printed or pasted 1 mm thick tin plated or Tin plate with Fabric pasting or ACP with Vinyl Pasting			
		2 Legs 2"x 2" L angle MS Rod of Ht 4.5 Ft			
60	Mini Hoarding	Size of hoarding :- 6ft & 3 Ft	Rate per Sq ft		
		<u>Specification</u>			

		18 Gauge printed or painted tin plated or Tin plate with Fabric pasting or ACP with Vinyl Pasting				
		10 Ft L iron angle (2" L MS Iron Angle)				
		2ft Inside Ground & Cement Concrete				
		Ground to Top :- 8.0 Ft Length				
		6 Ft Width & 3 Ft Long				
		Mid Joist Bar 3 ft				
		Quality: Joist- 5"x2.5"				
		Angle-3"x3"				
		Angle 2"x2"				
61	Installation of Retro-Hoarding	Providing, Fixing, <i>fitting</i> retro-reflective sheet on 4 mm aluminium sheet/ ACP (0.25 +3.50+0.25-pdvf coated) OEM Matched component & UV laminated	Rate per Sq ft			
62	Printing of Fabric Banner	Job Type – Multi colour printing, CMYK (4 Colour) Good Quality Flex (minimum 240 GSM thickness) to be used, Post Process - 4 punch holes at each corner as per requirement	Rate per Sq ft			
	Printing of Star Flex Banner.	Star flex multi colour printed 240 Gsm thickness CMYK(4colour)Good quality Flex as per requirement size	Rate per sq ft			
63	Canopy	Size:5'x5'x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message.	Rate Per			
		Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Sq ft			
		Size:5'x5'x7' Fabric Cotton inner and side of the kiosk/Canopy should be displayed with different message.	Rate Per			
		Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Sq ft			
		Size:5'x5'x7' Flex inner and side of the kiosk/Canopy should be displayed with different message.	Rate Per			
		Process: Steel frame with Good quality flex(minimum 249 GSM thickness) to be used	Sq ft			

		Size:5'x5'x7' Flex inner and side of the kiosk/Canopy should be displayed with different message.	Rate Per			
		Process: Iron frame with Good quality flex(minimum 249 GSM thickness) to be used	Sq ft			
64	IEC Calendar	Size of each sheet of calendar 91CM x 58.5 CM ,No of sheets in each calendar:10 sheets, Colour: Multi colour, Binding: Each sheet both side lamination, Tip wire with hanger, calendar is packed with a strong polythene bag/envelope size 24"x37"	Rate per Calendar			
65	Exhibits	Size: 6'x4',4'x2',3'x2'	Per sq ft.			
		Process: Sun board, Eco solvent print& bidding				
		Materials: 3mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Print multi colour. Size: 6'x4',4'x2',3'x2'	Per sq ft			
		Preferable Board Size: 4ft height x 3ft Width				
66	Display Board	Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminum sheet/ACP(0.25+3.50+0.25-pdvf coated) over which alphabet sand numerical are printed using of matched component ink sand UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading, peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting/reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground.	Per sq ft			


		<p>Fixing of the board including cost of the materials, conveyance ,labor, transportation etc. required for the work.</p> <p>The Size can be adjusted as per the provisioned price. As these boards are light sensitive with high reflective index for better night visibility. These boards should be fixed preferably on the road sides so that it will be visible at night in traffic light.</p>				
67	Installation of Retro-Hoarding	<p>Preferable Size of hoarding level is-</p> <p>15ft x 12ft (However, there is flexibility to decide it by concerned City/MC/District level keeping in view the provision of space and visibility.)</p> <ul style="list-style-type: none"> ▪ Quality: Angle/Joist frame used should be of good quality MS with epoxy painting. ○ Joist- 5”X 2.5” ○ Angle- 3”X 3” 	Per sq ft			
68	Permanent (Iron Frame) Hoardings near religious places, along highways, market places and other strategic locations inside cities by taking permission for space from appropriate authorities in 5MCs @ 5per MC	<ul style="list-style-type: none"> ○ Angle- 2”X 2” <p>Base of each pole of the Hording should be buried at least 2½ feet M-15 grade cement concrete, reinforcement and cement concreted all around the buried part as well as 1 foot above the ground.</p> <ul style="list-style-type: none"> ▪ Frame should be of Iron Angle ▪ Fabric/cloth matter should be of good quality with digital multi colored printing ▪ Fabric/cloth should be fixed by iron pipe sand and GI wires ▪ Structure of the hoarding will be at least at a height of 5 feet from the ground level so as to be clearly ▪ Visible from a distance. ▪ Care must be taken not to select locations behind a tree/ any other structure obstructing the view. 	Per sq ft			


69	Change of matter(Fabric) in existing Large hoardings for 2 Quarters	<p>The existing dynamic hoardings should be mounted with new content using fabric media instead of flex banner (use of flex banner is restricted under ban of polythene/plastic act).The theme should be decided on local specific issues and accordingly the content must be designed, printed and mounted utilizing</p> <p>Option1: 6ftX3ft</p> <p>Display area: 6ftX3ft</p> <p>Display Material: Preferably 18 gauge printed or painted Tin Plate or Tinplate with fabric pasting or iron framed with fabric or ACP with vinyl pasting</p> <p>Total Height from the inside the ground: 10ft Length Iron angle(2”LMS Iron Angle should be used)</p> <p>Base(Inside Ground): 2.0 ft inside cement concrete</p> <p>Above Ground(Ground to Top):8.0ft Length:</p> <p>6ftLIronangle(2”LMSIronAngleshouldbeused)</p> <p>Mid Joist Bar to support display material: 3ft L MS Iron angle (2”L MS Iron Angle should be used)</p> <p>In case of MS Iron angles the water proof</p> <p>Painting preferably epoxy paining should be done.</p>	Per sq ft			
	Mini Hoardings	<p>Option2:4ftX3ft</p> <p>Display area:4ftX3ftDisplayMaterial: Preferably 18 gauge printed or painted Tin Plate or Tinplate with fabric pasting or fabric only</p> <p>Total Height from the inside the ground:10ftLMSIronangle(2”LIron Angle should be used)</p> <p>- Base (Inside Ground): 2.0ftinsidecementconcrete</p> <p>- Above Ground (Ground to Top) :8.0ft</p> <p>Length:</p> <p>4ft LMS Iron angle (2”LIronAngleshouldbeused)</p>	Per sq ft	<p>Option-1 : Suggested Mini Hoarding Structure Specification (6' X 3')</p> 		

		In case of MS Iron angles the water proof painting preferably epoxy painting Should be done.			
71	Retro Signage for UHND & RI Points	Preferable Board Size: 1.5ft height x 1ft Width	Option-2 : Suggested Mini Hoarding Structure Specification (4' x 3')		Per sq ft
		Providing, fitting, fixing up signage using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using oem matched component inks and UV laminated with oem approved laminates.			
		It should be displayed outside the UHND/RI Sites to attract public attention with proper visibility in both day and night			
72	Wall paintings for health education @1 per WKS	The color to be used for painting should be water proof as per the specification mentioned below;	PerSq.ft.		
		Size: preferably 6ftX3ft or 5ftX4ft or any other size as per the availability of the space in the local areas to be decided by the local authority.			
		Shape: Preferably rectangular			
		Type: Wall Painting, Hand made			
		Colour: Multi colour			
		Finish: Matt finish, Gloss, Smooth & Polished			
		Medium: Oil			
		Material: Use best quality Paints That increases the sharpness of color and remain waterproof & long lasting (Acrylic Emulsion , Vinyl, Canvas)			
Position: Outdoor					

	Use Stencils to make uniform designs			
	The wall paintings should be done by hiring local artists or agencies following proper procurement procedure preferably fixing the rate per square feet unit cost. The message for the wall painting should be decided by the local authority keeping in view the prevalence of the health issue of their respective areas. The wall painting should be done inside communities/slums at better public visible places.			

73	<p>Welcome Board of MAS@ 1PerMAS (Remaining MAS not covered in previous year)</p>	<p>Suggestive Specifications: MAS Welcome Board: 2ft X 1ft size Printed 1mm thick in sheet or 1mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1"x1" L angle MS rod fixed with 2 legs 2"x2" L angle MS rod of height 4.5ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity. As drawing of the welcome board is given below for reference.</p>	<p>MAS Welcome Board (2ft X 1ft) Printed T in Sheet</p> <p>2 legs and frames of L</p> <p>1ft inside ground filled</p>
----	--	---	---

			<p><u>Rate Per Board=Rs-.....</u></p> 
74	<p>Installation of SUMAN hoarding</p>	<p><u>Option1: Single Panel ACP Display Board</u></p> <p>Display Board(Vinyl board): 5mm ACP Board pasted with upper high efficiency full cube Retro-reflective sheeting of whitecolour bonded over which alphabets and numerical are Printed using OEM matched component inks and UV laminated with OEM approved over laminates for longevity.</p> <p>Size: 10'x 4'</p> <p>Mounting & Installation of Display Panel: The display panels shall be fitted (as per the drawings mentioned below) with two legs of 2" x 2" and 18gauge square pipes. The pipes shall be made of Mild Steel, painted with primer and enamel Colour paint. The total height of the legs shall be 10' out of which 2' shall be inside the ground level with concrete and rest 8' shall be above ground level.</p>	 <p><u>Rate Per Board=Rs-.....</u></p>

		<p><u>Option2: Double Panel ACP Display Board</u></p> <p>ACP with vinyl pasted Display Board: 5mmACPBoardpastedwiththeco-solvent vinyl printing & matt lamination for longevity.</p> <p>Size(Top Panel Display Board): 6'x 4'</p> <p>Size(Bottom Panel Display Board): 5'x1'</p> <p>Mounting & Installation of Display Panel: The two display panels (Top & Bottom) shall be fitted (as per the drawings mentioned below) with two legs of 2"x2" and 18 gauge square pipes. The pipes shall be made of Mild Steel, painted with primer and enamel colour paint. The total height of the legs shall be 10' out of which 2' shall be inside the ground levelwithconcreteandrest8'shallbeabove Ground level.</p>	 <p>Rate Per Board</p>	
75	<p>Dynamic Steel/ Aluminum frame wide base Standee @2perUPHCs</p>	<p>Preferable Specifications:</p> <ul style="list-style-type: none"> ✓ Size:5ftX3ftor6ftX3ft ✓ Frame: Aluminum frame with wide base(reusable) ✓ Multi Colour fabric media printing with mounting <p>or</p> <p>Standees may be framed using 202 grade steel frames of 3" gauge square pipes with mounting of fabric banners.</p> <p>The matter of the standees should be changed as per the requirement during different occasion sand it should be displayed in a suitable place for better visibility to the public on a long term basis.</p>	<p>PerSq.ft.</p>	

76	Printing of Health Calendar	<p>The calendars may be printed by hired external agencies following due procurement procedures as per the specifications mentioned below; Specifications for wall hanging calendar:</p> <ol style="list-style-type: none"> Size-11.5inchX18inch(Half Demy) Paper-130GSM Art Paper Process – Multi Colour offset printing Binding – Wire-0 binding including hanger Noofsheets:7sheets(14pages)both side printing Lamination: 8 pages glossy lamination(Optional) <p>During tender process rate quote maybe invited with lamination and without lamination. If laminated calendars rate quote are within the budgetary limits then order may be given for laminated calendars or else go for not laminated option.</p>	Rate Per Calendar	
77	Flipbook for MAS,ASHA& OtherFLWs	<p>Suggested specifications:</p> <p>Size : 30cmX20cm</p> <p>Pages : 50 pages (25 sheets)(Tentative)</p> <p>Paper : 300 GSM Art</p> <p>Paper Printing: Multi colour</p> <p>Binding:-Wire-0 binding - Inner pages bothside glossy lamination</p> <p>Table Stand: 28no. mill board with 130 GSM art paper coverpasting</p>	Rate Per Book	
78	FAQ	<p>Size-22cmx28cm (A4)</p> <p>Process: Multi Colour</p> <p>Paper : 90 gsm Art Paper</p> <p>Cover Page:170 gsm Art Paper.</p>	Per Piece Rate	

79	SUN BOARD WITH VINYLE FOR ToFEI SCHOOL & COLLEGE PROGRAMME	Materials to be used - 3 mm Thickness Sun Board. Printing Process – Eco Solvent Vinyl Print Multi colour & mounting with steel stud in 4 corners at institutions. (Including fitting charges)	Rate Per Sq. Ft	
80	FLIP BOOK	Suggested specifications: Size : 30cmX20cm Pages : 30 pages (15 sheets) (Tentative) Paper : 300 GSM Art Paper Printing: Multi colour Binding:- Wire-O binding - Inner pages both side glossy lamination. Table Stand: 28no. mill board with 130 GSM art paper Cover pasting.	Rate Per Book	
		Suggested specifications: Size : 30cmX20cm Pages : 50 pages (25 sheets)(Tentative) Paper : 300 GSM Art Paper Printing: Multi colour Binding:- Wire-O binding - Inner pages bothside glossy lamination Table Stand: 28no. mill board with 130 GSM art paper cover pasting	Rate Per Book	
		Suggested specifications: Size : 30cmX20cm Pages : 80 pages (40 sheets)(Tentative) Paper : 300 GSM Art Paper Printing: Multi colour Binding:- Wire-O binding - Inner pages both side glossy lamination Table Stand: 28no. mill board with 130 GSM art paper cover Pasting.	Rate Per Book	
81	CASE RECORD/ INFORMATION SHEET FOR TOBACCO CESSATION CENTER	Total Pages: 10-30 Pages Paper Size: A4 Cover: Cover 2 Page Paper: 60 or 70GSM Multi Colour: All Pages	Rate per Book	

82	Printing of OPERATIONAL GUIDELINE	Total Pages: 50 to 100 Pages Paper Size: A4 Cover: Cover 2 Page (170 GSM) Paper: 130 GSM Multi Colour: All Pages	Rate per Book	
83	PRINTING OF CBAC	Printing of forms in A 4 Paper, Double Side Printing, 60-70 GSM	Per Piece Rate	
84	PRINTING OF NPCDCS REGISTER	B/W Both side printing & Binding - 200 Pages, Paper size-A 3, Paper Quality – 60 to 70 GSM. Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register	
85	HWC OPD REGISTER	B/W Both side printing & Binding - 200 pages, Paper size-A 3, Paper Quality – 60 to 70 GSM. Post Process:- Binding with cardboard in last page & binding with 220 GSM paper on the top cover & last page of the Register.	Rate per Register	
86	FAMILY REGISTER	Both side printing & binding -50sheet, paper size- A4, Paper quality -60 to 70 GSM. Post process –Binding with 220 GSM paper on the top cover & last page of the register. B/W printing on both sides of top cover and back cover.	Rate per Register	
87	COTPA CHALLAN & RECEIPT BOOK	Size :-20 cms x 13 cms. Original & Duplicate copy, Single colour, 70 gsm paper, Pages-50 per book	Rate per Book	
		<u>NBSU Docket Folder with pocket (1No.)</u> Unit: Nos. Size:9.6"x12" (Folding Size)		

		<p>Pages:4+inside 1</p> <p>Pocket Paper:350GSM Art paper (Gloss Finish)</p> <p>Brightness:80 (Minimum)</p> <p>Printing: Multi Colour offset printing {(Front & Back of the folder) and on pocket }</p> <p>folding &pasting: One Fold & One pocket (12x24 cm)pasting to contain 9-10nos.sheet.</p>		
88	<p>NBSU Case Sheet Docket folder Set/SNCU Case Sheet Docket folder Set</p> <p>(Each Case Sheet docket folder Set shall contain the mentined 8 items)</p>	<p style="text-align: center;"><u>Discharge Card (1No.)</u></p> <p>Unit: Nos.</p> <p>Size: 8.5"x11" (Folding Size)</p> <p>Pages: 4</p> <p>Paper: 120GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Both Side Multi Colour offset printing .</p> <p>folding: One Fold</p> <hr/> <p style="text-align: center;"><u>Neonatal Case Record Sheet (1No.)</u></p> <p>Unit: Nos.</p> <p>Size: 8.5"x11" (Folding Size)</p> <p>Pages: 4</p> <p>Paper: 120GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Both Side Multi Colour offset printing .</p> <p>folding: One Fold</p>		

		<p><u>Treatment Continuation & clinical condition record sheet (3No.)</u></p> <p>Unit: Nos.</p> <p>Size: 8.5"x11"</p> <p>Pages: 2 pages back to back</p> <p>Paper: 90GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Bi Colour offset printing .</p> <p><u>Monitoring Nurses Order Sheet (1No.)</u></p> <p>Unit: Nos.</p> <p>Size: 8.5"x11"</p> <p>Pages: 2 pages back to back</p> <p>Paper: 90GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Bi Colour offset printing .</p>		
		<p><u>Form-1</u></p> <p>Unit: Booklet</p> <p>Size: 1/4 Demy</p> <p>No.of Sheets: 50</p> <p>Paper: 80GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Both side Black offset Printing</p> <p>Binding: Top Pad binding with hard straw board (2mm) on back side</p> <p><u>Form-2 (1st Brief Investigation Report</u></p>		

		<p align="center"><u>for ANMs)</u></p> <p>Unit: Forms Size: 1/4 Demy (Closing Size) Pages: 4 Paper: 80GSM Map Litho, Brightness: 77 (Min.) Printing: Both side Black offset Printing Binding: One Folding at the middle</p>		
	<p align="center">Child Death Review Forms</p>	<p align="center"><u>Form-3a (Verbal Autopsy Form: Neonatal Deaths))</u></p> <p>Unit: Forms Size: 1/4 Demy Pages: 6 Paper: 80GSM Map Litho, Brightness: 77 (Min.) Printing: Both side Black offset Printing Binding: Side stapling (2 nos. side stapling)</p>		
<p align="center">89</p>		<p align="center"><u>Form-3b (Verbal Autopsy Form: Post Neonatal Deaths))</u></p> <p>Unit: Forms Size: 1/4 Demy Pages: 6 Paper: 80GSM Map Litho, Brightness: 77 (Min.) Printing: Both side Black offset Printing Binding: Side stapling (2 nos. side stapling)</p> <p align="center"><u>Form-3c (Social Autopsy Form)</u></p> <p>Unit: Forms Size: 1/4 Demy (Closing Size) Pages: 4 Paper: 80GSM Map Litho, Brightness: 77 (Min.) Printing: Both side Black offset Printing Binding: One Folding at the middle</p> <p align="center"><u>Form-4a (Facility based Neonatal Death Review Form)</u></p>		

		<p>Unit: Forms</p> <p>Size: 1/4 Demy</p> <p>Pages: 6</p> <p>Paper: 80GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Both side Black offset Printing</p> <p>Binding: Side stapling (2 nos. side stapling)</p> <hr/> <p><u>Form-4b (Facility based Post Neonatal Death Review Form)</u></p> <p>Unit: Forms</p> <p>Size: 1/4 Demy</p> <p>Pages: 6</p> <p>Paper: 80GSM Map Litho,</p> <p>Brightness: 77 (Min.)</p> <p>Printing: Both side Black offset Printing</p> <p>Binding: Side stapling (2 nos. Side</p>		
90	Gentamicin Treatment Card	<p>Size: 17cm x 28cm</p> <p>Printing Type: Both sided Multi-colour offset printing</p> <p>Paper Quality: 250 GSM Art Paper (Matt Finish)</p> <p>Brightness: 80 (Min.)</p>		
91	MEETING BANNER	<p>Size:6*4'</p> <p>Good quality flex with multicolour printinting.</p>	Rate per pieces	
	BOOKLET	<p>A4paper black and white printing 100 pages and more</p> <p>Paper quality 60 to 70 GSM,Cover pages 250 Gsm glossy multicolour.</p>	Rate Per book	

92	FAQ BOOKLET	Both side multicolour printing and stapling, A5 size book containing 14 pages. 130 GSM Art paper.	Rate Per book	
93	AUTO Rickshaw Decoration	<p>Decoration of Auto Rickshaw on various campaign programme. The vehicle is to be designed & fitting with good quality flex framed with iron square bar of size and sound system with battery, fuel, Day hiring charges (Max 40 Km running).</p> <p>1 inch X 1 inch.</p>	<p>A. Decoration Charge</p> <p>B. Decoration charges</p> <p>Rate per day for hiring sound system and DOL cost.</p>	

- N:B:**
- 1) The Rate quoted should be inclusive of all taxes & charges (i.e. DTP, Printing, Fixing, Designing, Materials, GST, Transportation cost & manpower etc.
 - 2) Fixing of Branding Material & Wall writing are to be done at different health Institutions of Sambalpur District (may be at DHH/SDH/ block CHC's/PHC/SC/GKS level etc).
 - 3) The work should be completed or handed over within the time limit & as per specifications mentioned in the work order.

Place :

Date :

Signature & Seal of the authorised Signature.

Mobile No:

