

E.mail: vimsarsuptd@gmail.com

GOVERNMENT OF ODISHA
HEALTH & FAMILY WELFARE DEPARTMENT
OFFICE OF THE SUPERINTENDENT, VSS INSTITUTE OF MEDICAL SCIENCES &
RESEARCH, BURLA, (SAMBALPUR) ODISHA-768017

No. 15127 /VIMSAR Dated, Burla, the 03 th July, 2023

TENDER CALL NOTICE

Sealed Tenders are hereby invited by the undersigned from the reputed Manufacturer/Authorized Dealers & Registered firms under GST Act for supply of Minor Orthopaedic Instruments required for Ortho & Trauma OT of this hospital, so as to reach this office of the Superintendent, VSS Institute of Medical Sciences & Research, Burla on or before dt. 27.07.2023 up to 4-00 P.M. through Regd.Post/ Speed Post/Couriers only and that will be opened in the next working day at 12.30 P.M.

The detail list of the instruments along with terms and conditions of this Tender Call Notice can be downloaded from Dist. website www.Sambalpur.nic.in


The undersigned/committee reserves the full right to accept in full or reject any or all the tenders without assigning any reasons thereof.

[Signature]
Superintendent,
VSS Inst. of Med.Sc.& Research, Burla
[Signature]
11/7/23

TERMS AND CONDITIONS

1. The tenderer should be a Registered Firm under GST Act.
2. The rates should be inclusive of all taxes except GST. The GST charges should be clearly mentioned. The rates should be quoted for individual components.
3. The delivery of the items should be made in the main medical store in good condition.
4. Any conditional Tender will not be accepted.
5. No advance payment will be made against execution of order. Payment will be released only after successful supply & satisfactory installation and certification.
6. The rates should be valid for one year from the date of approval..
7. Original documents may be produced for verification if asked for.
8. If any information/documents furnished by the tenderers with the tender papers are found to be misleading or in correct, at any stage their tenders will be cancelled.
9. The make, model & warranty/guarantee of the quoted items must be mentioned in the tender. The sample of the quoted items may be verified by the committee before selection of the items.
10. The product should be of CE/USFDA/ISO certified & the Instruments should be of medical grade stainless steel.or Tungsten Carbide where ever specified. The documents thereof should also be produced along with the tender.
11. The tenders should be furnished in time with sealed cover duly super scribed as **"TENDER FOR SUPPLY OF ORTHOPAEDIC INSTRUMENTS AND DUE DATE IS DT. 27.07.2023 UP TO 04.00 P.M.**
12. The tenders will be received up to 4.00 P.M. of dt.27.07.2023 through Regd.Post/Speed Post/Courier only to the office of the Superintendent, VSS Institute of Medical Sciences & Research, Burla. The tenders received beyond the scheduled date & time will not be entertained. The postal/courier delay is the responsibility of the tenderers. The tenders will be opened in the next working day by a Committee at 12.30 P.M. The tenderer may attend while opening the tenders.
13. The cost of the Tender call Notice is Rs.2000/- which is non refundable. The cost of tender should be deposited in shape of Bank Draft drawn in favour of the Superintendent, VIMSAR,Burla.
14. The following documents will be enclosed in the tender paper.
 - (i) Attested copy of GST Registration Certificate.
 - (ii) Attested copy of the PAN Card.
 - (iii) Rs.10,000/-in shape of NSC/Bank Draft/FDR duly pledged in favour of the Superintendent, VSS Institute of Medical Sciences & Research, Burla should be deposited as EMD which will be refunded after selection of the rate. . If any exemption to be availed than the authentic supporting documents to be enclosed otherwise the tender may be cancelled.
 - (iii) The authorization letter of the Principal Firm should be enclosed in the Tender with due attested, if the firm is an authorized dealer.
 - (iv) The Bank Draft of Rs.2000/-drawn in favour of the Superintendent, VIMSAR, Burla towards cost of tender paper to be enclosed in the tender. If any exemption to be availed than the authentic supporting documents to be enclosed otherwise the tender may be cancelled.
 - (v) An undertaking regarding "The quoted rates are not more than the prevailing market price" and will be valid for one year.
 - (vi) Catalogue of the items showing the detail specification, size, varieties etc..
 - (vii) The required documents like ISO/CE/USFDA certificates of the concerned manufacturers should be enclosed in the tender for selection of the quality items.

The undersigned/committee reserves the full right to accept in full or part or reject any or all the tenders without assigning any reasons thereof. The selection will be made on quality basis wherever necessary.


Superintendent,

VSS Inst.of Med.Sc.& Research ,Burla

SPECIFICATION FOR ORTHOPEDIC MINOR INSTRUMENTS

All instruments should be of CE / USFDA certified.

All instruments are of medical grade stainless steel unless otherwise specified.

The supplier should provide the detailed catalogue of the instruments showing the specification, size, shape, varieties, number, and all other description from the manufacturer and price.

Rate should be mentioned for individual components for future need.


The supplier should be ready to provide sample whenever required before the purchase committee.

All instruments should bear the CE mark and name of the manufacturer in case of CE certified.

Necessary quality certificates of the instruments CE, ISO and FDA by the manufacturers should be provided.

LIST OF MINOR INSTRUMENTS

1. Lead Apron with Radiation protection thyroid collar & eye glasses of different type. Rate quoted separately.
2. SS Stand on castor wheel, hanger to hold multiple (10 nos) lead Apron.
3. Guide Wire long for Interlocking of Femur, Tibia, PFN- (beaded)
4. Guide Wire long for Interlocking of Femur, Tibia, PFN- (non-beaded)
5. Guide Wire long for Interlocking of Humerus
6. Guide Wire- for proximal 8mm screw of PFN(3.2mm)
7. Guide Wire- for proximal 6mm screw of PFN (2mm)
8. Guide Wire- for 6.5mm cannulated screw
9. Guide Wire- for 4mm cannulated screw
10. Guide Wire- for Herbert screw of different diameter.
11. Rigid Cannulated hand Reamer (5 to 14mm in 0.5mm interval) for femur and Humerus
12. Rigid solid Hand Reamer (2 to 14mm in 0.5mm interval) for femur, Humerus and Radius.
13. Flexible Cannulated Reamer Shaft with fixed Reamer Heads from 6mm to 16mm in 0.5mm increment (compatible with Manman, Stryker, Hall reaming hand piece)
14. (a) Flexible Cannulated Reamer Shaft with detachable Reamer Heads (compatible with Manman, Stryker, Hall reaming hand piece) - 6 to 16mm in 0.5mm increments
(b) Reamer heads for Flexible Reamer Shaft - 6 to 16mm in 0.5mm increments
15. Hexagonal Non-cannulated screw drivers with long SS handle for different screws
16. Hexagonal Cannulated screw drivers with long SS handle for different screws
17. Hexagonal Non-cannulated screw drivers with long SS handle for different interlocking bolt
18. Hexagonal Cannulated screw drivers with long SS handle for different interlocking bolt
19. Hexagonal Screw drivers of standard length for different locking screws, bolt and AO screws
20. Hexagonal cannulated Screw drivers of standard length for different AO screws
21. Illizarov wire tensioner
22. Bone awl with eye - straight / curved
23. Wire passer curved - small, medium, large
24. Cerclage Wire passer (Mippo) - small, large
25. AO Collinear bone clamp
26. DCP Drill Sleeve- load and neutral- 3.5mm

 Prof. H. G. B
 Dept. of Ortho
 S.S. M. C. H., Burla

- 27. DCP Drill Sleeve- load and neutral- 4.5mm
- 28. Double drill sleeve with insert drill sleeve 4.5
- 29. Double drill sleeve with insert drill sleeve 3.5
- 30. Double drill sleeve with insert drill sleeve 2.7
- 31. C -Pointed drill guide with insert drill sleeve – 4.5, 3.5
- 32. Screw holding forceps - self-locking
- 33. Depth gauge for different size screws
- 34. Spanner for illizarov fixation
- 35. Double End Spanner open -8/9,10/11,12/13mm
- 36. Ring Spanner-8/9,10/11,12/13mm
- 37. T- Handle with chuck and key for Schanz pin
- 38. Tap for different non-locking AO Screws
- 39. Cannulated tap for different size Herbert screws
- 40. Tap sleeve- 3.5,4.5,6.5mm
- 41. Drill sleeve for sized drill bit
- 42. Plate bending press
- 43. Reconstruction plate bender
- 44. 6mm Rod bender
- 45. SS Drill bit of different diameter and length
- 46. SS Drill bit of different diameter for Herbert screws of different diameter
- 47. Gigli saw handle
- 48. Autoclavable SS / Aluminum Box of different size for screws, plates and instruments
- 49. Bone punch – curved , straight of different diameter
- 50. Bone hammer - SS handle / fiber handle of different weight
- 51. Femoral distractor
- 52. Jamshidi bone biopsy needle
- 53. **WIRE CUTTING PLIERS-(TUNGSTEN CARBIDE / SS)**
 - 1. Wire cutter side cutting for 1 to 3.5mm k-wires
 - 2. Wire cutter end cutting for 1 to 3.5mm k-wires
 - 3. Different Rod cutter for cutting different thickness wires 2.5 to 6mm
 - 4. Wire cutter cum bender cum plier
 - 5. Wire cutter cum plier
 - 6. SS Wire twister
 - 7. SS K-wire bender pencil type
- 54. **PLIERS-(TC – TUNGSTEN CARBIDE / SS)**
 - 8. Pointed nose plier
 - 9. Pointed nose plier with speed lock
 - 10. Flat Nose plier
 - 11. Flat Nose plier with speed lock
 - 12. Pointed nose plier with speed lock and extractor handle
 - 13. Flat Nose plier with speed lock and extractor handle
- 55. **Skin grafting knife**
 - 1. Silver
 - 2. Humbey / Cobbett
- 56. **SUCTION TUBE:-**
 - Frazier with thumb control & Yankaur with thumb control


Prof. H.O.U
Dept. of Ortho
I.S.S. M.C.H., Burla

57. Osteotome & Gouge- st / cu - all sizes

- Hibbs
- Stille
- Lexer

58. BONE HOLDING FORCEPS: - of different sizes (small / medium / large)(4,6,8,10,12 inchs)

- Lambottewith speed lock
- Ferabeuf- Lambottewith speed lock
- Verbruggewith speed lock
- Hey Grooves with speed lock
- Kern/ Lanewith speed lock
- Ulrich- st / Cvwith speed lock
- Lewinwith speed lock
- Lowman with speed lock
- Self-centering forceps with speed lock
- Serrated Jawwith speed lock
- Patella Holding forceps with speed lock
- Bone & Plate holding forceps with Speed Lock of different type
- Condylar Clamp with ball tip with speed lock
- Pointed bone clamp with speed lock

59. BONE CURETTES:-

- Double ended - small / medium / large
- Fiber handle with cup - 3,5,9,12mm

60. BONE HOOKS:- - all sizes

- Small / medium / large
- Sharp hook
- Dental Hook

61. SKIN HOOKS- all sizes

- Meyerding -
- Rangell-Davis
- Volkman

62. RETRACTORS- all sizes

- SenMiller / catpaw
- Volkman
- Mini Langenbeck
- Langenbeck of different blade width and length
- Doyen
- Deaver

63. SELF RETAINING RETRACTORS- all sizes

- Charnley with blade
- Weitlaner-
- Gelpi

64. PELVIC INSTRUMENT SET

- Retractors of different size and shape
- Bone levers of different size and shape
- Reduction clamps of different size and shape
- Bone spike pusher
- Any other

[Handwritten Signature]
 Prof. H.G.H
 Dept. of Ortho
 S.S. M.C.H., Bund

65. Bone levers— all sizes

Hohmann of different size, shape and type

66. Periosteal Elevators:- -- all sizes

Farabeuf (st / Curved)

Mc Donald

Alderdyce

Adson

Casper

67. SPINE INSTRUMENTS

Lamina spreader Cloward

Lamina spreader Inge

Love nerve root retractor

Casper muscle dissector

Casper vertebral body distractor set – rt<

Casper Twist drill

Casper Distraction screws

Casper Screw drivers

Casper curette

Crutchfield tong with guarded drill bit

Casper Scoop

Casper Tamper

Casper Bone graft holder and impactor

Casper Drill guide –rt<

Cubb elevator

Capener Lamina gouge

Dr. Ramani lumbar retractor with blades

Cloward cervical retractor with blades

68. BONE NIBBLER / RONGEURS— all sizes

Marquardt

Stille- luer

Stille

Leksell

Echlin

Frykholm

Ruskin

Smith Peterson

Zaufal –Jansen

Beyer

Bohler

Stille –Ruskin

Semb

Stille-Luer

[Handwritten signature]
Dr. H. A. J.
Dept. of Ortho
S.S. 1970-11-82

69. NAIL, BROKEN NAIL & BROKEN SCREW REMOVAL SET

- Conical Extraction T Handle for 3.5 mm Screws
- Conical Extraction T Handle for 4.5/5 mm Screws
- Broken Screw Removal Hollow Mill Shaft for 2.7 mm Screws
- Broken Screw Removal Hollow Mill Shaft for 3.5 mm Screws
- Broken Screw Removal Hollow Mill Shaft for 4.5/5 mm Screws
- Handle for Hollow Mill Shaft
- Broken Screw Head Removal Forceps Speed Lock
- Broken Screw Head Removal Forceps Ratchet Lock
- Broken Screw Removal T Handle
- UNIVERSAL conical coupling bolt, nail extractor hook - short & long and slotted hammer for nail removal.
- Tungsten carbide drill bit of different diameter
- Any other

70. ELASTIC NAIL INSTRUMENTATION SET

- Awl -st&curved
- Nail introducer with chuck and key
- Locking Vice grip extractor plier with Slotted hammer
- Impactor / tamp - standard & bevelled
- Rodcutter 14inch
- F-tool
- Any other

[Signature]
 Prof. H.O. B.
 Dept. of Ortho.
 S.C. M.C.H., Burs