

GOVERNMENT OF ODISHA
HEALTH & F.W. DEPARTMENT
OFFICE OF THE SUPERINTENDENT
VSS INSTITUTE OF MEDICAL SCIENCES & RESEARCH, BURLA (SAMBALPUR)

No 11915 / VIMSAR


Dated, Burla, the

17-08-2025

TENDER CALL NOTICE

Sealed Tenders are hereby invited by the undersigned from the Registered firms/Authorized Dealers Contract holders having registration under GST Act. For supply of **Miscellaneous Articles/ Electricals / PHD and Others Goods** to this Hospital during the financial year 2025-26 so as to reach this office of the Superintendent, VIMSAR, Burla on or before **18.09.2025** up to **5.30 P.M** by registered post/speed post only, which will be opened on next working day at 11.00 AM.

The detailed terms and conditions of the Tender Call Notice can be obtained from the office of the Superintendent, VIMSAR, Burla during the office hours on all working days till the last date of receipt of the tender on deposit of **Rs. 5000/- (Rupees five thousand)** only (**Non Refundable**) in the User's fee counter of this Hospital toward the cost of tender paper in favour of the Superintendent VIMSAR, Burla. The tenderer can also download the tender documents from District website **www.sambalpur.odisha.gov.in** & submit the same with bank draft for Rs 5000/- towards cost of tender paper.


Superintendent,
VSS IMS&R, Burla

TERMS AND CONDITIONS OF THE TENDER CALL NOTICE

1. Two Bids tender is invited undersigned for the procurement miscellaneous articles electrical goods for a period of one year from the date of finalization or floating of fresh tender whichever is earlier.
2. One envelop should contain all the technical requirements / documents and should be sealed and superscripted as technical tender documents of supply of miscellaneous articles / electrical goods to VIMSAR,Burla.
3. The other (2nd) envelop should contain only the price list of the quoted miscellaneous articles/ electrical goods & should be sealed and superscribed as financial bid for supply of miscellaneous articles electrical goods to VIMSAR,Burla.
4. Both the envelopes i.e Technical bid & financial bid should be sealed be in a separate envelop & superscribed as " Tender documents for supply of miscellaneous articles electrical goods to VIMSAR,Burla
5. The tender is valid for a period of one year from the date of finalization.
6. The tenderers / bidder should be a registered firm under GST Act.
7. The Authorization letters if any to be enclosed in the tender.
8. The quoted rate will be inclusive of all taxes except GST. The percentage of GST should be mentioned clearly against each items.
9. The rates of the items quoted by the tenderers should be clearly written in English only and should legible in the tabular form.
10. Delivery of the items should be made to the Central Store of Superintendent, VIMSAR, Burla.
11. Any conditional tenderers will not be accepted.
12. No advance payment against execution of order is permissible.
13. The rate quoted by the tenderers should be valid up to one year from the date of finalization of the tender.
14. Selection of the items will be followed by selection of samples whenever necessary.
15. Original documents may be produced for verification if asked for.
16. The tender should be page marked & the rates of the items should be quoted as per the serial number of the tender call notice.
17. If any information/documents furnished by the tenderers with the tender papers are found to be misleading or incorrect at any stage their tenders will be cancelled.
18. All items must be CE/BIS/ISO certified.
19. The selected agency will bear responsibility of proper delivery of the articles to the Hospital at their own cost.
20. The tender should be furnished in time with sealed cover duly super scribed as **(TENDER FOR PURCHASE OF MISCELLANEOUS ARTILCES/ELECTRICAL GOODS DURING THE YEAR 2025-26 AND DUE DATE IS 18.09.2025 at 5.30 PM** on the top of the sealed cover.
21. The tenders will be received till upto **5.30 PM** of date **18.09.2025**. The tenders received beyond the schedule date and time will not be entertained. The tenders will be opened on **next working day** by committee at **11.00 A.M.**The tenderers may attend while opening the tenders but this bar for the opening the tenders or carrying subsequent tender propose the will not attend opening the tender.
22. The bidder must have average annual turnover of 1.5 croce per year for last three financial year i.s 2021-22,2022-23,2023-24.
23. The undersigned/Committee is not bound to accept the lowest rates considering the quality of goods.

Counting.....



(2)

24. The amount of **Rs.5000/- (Rupees Five thousand)** only deposited towards tender cost should be enclosed in original with the tender documents.
25. The undersigned /committee reserve the full rights to accept in full or part or reject any or all the tenders without assigning any reason thereof.
26. The authorised brand name/ make of the product must be mentioned . Products with out this will not be considered while selection of the lowest bidder. Any ambiguity in make of the product will not considered.
27. The quoted rates should not be more then the market price & a certificate in this regards should be produced.
28. The tenders has to deposit/submit as EMD of Rs 2,00,000/- (TWO LAKH) only in shape of FDR/EDR/NSC (valid one year) duly pleased in favour of the Superintendent, VIMSAR,Burla.
29. The bidders are instructed to quote the price of the electrical and plumbing items of the brands maintained against each only.
30. The following documents will be enclosed in the tender paper.
 - (i) Photocopy of valid GST certificate.
 - (ii) Photocopy of the PAN card.
 - (iii) Photocopy of Income Tax Return i.s 2021-22,2022-23,2023-24 last 03 (three) financial year.
 - (iv) Photocopy Audit report of last 03 year financial years.
 - (v) The document regarding the annual turnover of Rs.1,50,00,000/- (Rupees One Croce fifty lakhs) for last 03 financial year i.e 2021-22,2022-23,2023-24
 - (vi) The Authorization letter if any of the principal firm should be enclosed in the tender with due attested.
 - (vii) An undertaking to the effect that quoted rates are not more than the prevailing market Price.
 - (viii) Undertaking that the company / firm is not blacklisted by central Govt/ State Govt / Other agencies.
 - (ix) Photocopy Copy of CE/BIS/ISO certificate, if any.
 - (x) The Original money receipt (Red copy) / Bank Draft of Rs. 5000/- to be enclosed in the tender towards cost of the tender paper.
 - (xi) EMD of Rs 2,00,000/- (Rupees Two Lakhs) only in shape of FDR/EDR/NSC (valid one year) duly pleased in favour of the Superintendent, VIMSAR,Burla.
 - (xii) Annual turnover certificate of 1.5 croce per year for last 03 financial years 2021-22,2022-23,2023-24 from the CA.

TABULAR FORM

SI No	Name of the items	Unit	Whether ISO/BIS/CE certified	Make	Rate	GST%	Specification item of any.
-------	-------------------	------	------------------------------	------	------	------	----------------------------



On
14/8/21
Superintendent,
VSS-IMS&R, Burla

final


88

List of Miscellaneous Articles/ Electrical Goods under rate Contract for the Year 2025-26 for VIMSAR, Burla

Section - A

Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
1	Plastic stool				
2	Plastic Chair with arm				
3	Plain Table : MS Steel, Single Drawer with MDF plyboard, Size - 3'x2;x30" (Small)				
4	Shoe Stand : 4 layer 1/2 ft gap, Height : 4 ft, Length : 4 ft., frame made of MS Steel.				
5	Steel Rack (5 shelves)				
6	Computer Table : Walnut Finish 60 (L) x 120 (W) x 75 (H)				
7	Student Bed with Ply Top : (L - 75", W - 36", H - 15"), Frame = 18 G - Hollow rectagle Pipe, Colour - Black.				
8	Cup Board : (10 shelves with locker), (Size 78"H x36"Wx19"D), Iron Body should be 20 G				





db

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
9	Three seated Cushioned bench (SS) with leatherette Cushioned, Length : 70 inch, Width : 26 inch, Height : 31 inch, Sitting Height : 23-31 inch. Base Material - SS - 304, BIFMA Certified.				
10	Waiting Steel Bench (L - 72", W - 18", H - 18", Back H - 36"), Product Weight - 20 Kg Approx., Base Material - SS, Colour - Silver.				
11	Three seated bench (SS) - 304 Grade, Colour - Silver.				
12	Executive High Back Chair :				
	Size - W-615 X D-695 X H-1210				
	<ul style="list-style-type: none"> Ergonomically designed for maximum comfort. 				
	<ul style="list-style-type: none"> Dual tone handles with wood and aluminium for elegant look. 				
	<ul style="list-style-type: none"> Aluminium star base for style and strength while MS chromed legs visitor chair. 				
	<ul style="list-style-type: none"> Polyurethane foam which prevents straining of back and shoulder to provide comfortable seating. 				
13	Executive High Back Chair				
	Size - W-460x D-700x H-1170/1270				
	<ul style="list-style-type: none"> PU cushioned seat & back 				
	<ul style="list-style-type: none"> PP arms with soft PU pads 				
	<ul style="list-style-type: none"> Knee Tilt mechanism 				
	<ul style="list-style-type: none"> Nylon star base 				
14	Revolving Mid back Chair :				
	Size - W-625 X D-635 XH -1130				
	<ul style="list-style-type: none"> PU cushioned seat & back (foam density 24 kg/cum) 				
	<ul style="list-style-type: none"> PP arms with soft PU pads 				
	<ul style="list-style-type: none"> Knee Tilt mechanism 				
	<ul style="list-style-type: none"> Nylon star base 				
	<ul style="list-style-type: none"> Twin wheel nylon casters 				
<ul style="list-style-type: none"> MS powder coated cantilever legs in visitor chair 					





187

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)		
15	Revolving MID Back Mesh Chair : Size W-600 W x D-545 H-1000 <ul style="list-style-type: none"> Ergonomically designed for maximum comfort. Nylon star base for extra load carrying capacity. Centre tilt mechanism. 						
	Revolving Mid Back Fabric Chair : Size W-555 X D-570 X H-1040/1140 <ul style="list-style-type: none"> Seat made of moulded foam with fabric upholstery. Back made of MS frame with fabric / Mesh upholstery. Nylon star base and twin wheel casters. BIFMA certified chair components. Arm rest made of polypropylene. 						
	Revolving Low Back Chair : Size W-700 X D-700 X H-920/1040 <ul style="list-style-type: none"> Foam cushioned seat with crepe fabric PP fixed arms. Push Back mechanism with 120 mm stroke class 4 BIFMA gas lift Metal powder coated base & Twin wheel Nylon Castors 						
	Revolving Low Back Fabric Chair : Size W-700 X D-700 X H-850/970 <ul style="list-style-type: none"> Foam cushioned seat with crepe fabric PP fixed arms. Push Back mechanism with 120 mm stroke class 4 BIFMA gas lift Metal powder coated base & Twin wheel Nylon Castors 						
Executive Chair : Size - (95 H x 55 W x 55 D) cm, Made from SS frame, Colour - Grey, Black and Brown. <ul style="list-style-type: none"> Armrests are made of one frame, High Density HR Foam upholstered with leatherette, High Density HR Foam upholstered with leatherette Nonrevolving and nontilting Chair. 							
Office Visitor Chair Size W-520 X D-595 X H-860 <ul style="list-style-type: none"> PVC upholstered seat and back with PU foam for complete comfort Chrome plated MS frame with thickness of 1.1 mm 							




22

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
21	Office Visitor Chair (ARM Less) Size W 443X D 568X H 847				
	<ul style="list-style-type: none"> Stainless steel base 				
	<ul style="list-style-type: none"> 1mm thick tube 				
	<ul style="list-style-type: none"> PU foam inside 12 mm plywood in the back and PVC upholstery 				
22	Executive Table with Keyboard Slider :				
	<ul style="list-style-type: none"> Main Table Size - (750 H x 900 W x 1800 L) mm 				
	<ul style="list-style-type: none"> Table top made from 25 mm thick mdf board High quality SS handles to be provided 				
	<ul style="list-style-type: none"> Overall appearance as per photograph 				
23	Office table :				
	Size - W-1500 X D-750 X H-750 mm				
	<ul style="list-style-type: none"> Table made of 25 mm thick top and understructure made of 15 mm and 9 mm thick pre-laminated particle board with melamine finish It has 3 Drawers (Lock on top drawer) and a shutter compartment with lock Leveler is given for easy adjustment in case of uneven floor surfaces Colour-Brown/CloudAsh 				
24	Office Table : with storage system. Size - 4 FT W-600 X L-1200 X H-750				
	<ul style="list-style-type: none"> 18mm thick three layer pre laminated particle board PVC Edge band 2mm thick wrapped around the top 				
	<ul style="list-style-type: none"> Decorative aluminium bidding in top and modesty Knock down feature Wire management provided Colour-Wenge 				
25	Executive Manager Table :				
	Size - Dimension - 1500 mm (w) X 1500 mm (D) X 750 mm (H)				
	<ul style="list-style-type: none"> Structure and frame - Gatie end modesty pannel, one side pedestal unit and ERU. Pre laminated particle board wood product of Grade type -2 				



36

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
26	Office Table : Steel, Size - L-1500 x D-900 x H-735.				
27	Office File Cabinet : 4 drawer, 18 gauge Size W-450 X D-620 X H-1330 <ul style="list-style-type: none"> • Body made of 0.8 mm thick Powder coated CRCA Sheet • Shelf and Back made of 0.8 mm thick Powder coated CRCA Sheet • Drawer face made of 0.8 mm thick CRCA Sheet with powder coated. • Metal 4 drawer is provided with full extension telescopic drawer slide with central lock • Central Locking facility available with a duplicate key • Color-Grey 				
28	Glass Door AlmiraH : Size W-900 X D-510 X H-1970 <ul style="list-style-type: none"> • Body and Door Made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet • Back & Shelves made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet • Four shelves provided making 5 equal compartments for storage • High quality three way locking mechanism and Traditional Solid Handle • Completely Knock Down Design with Solid Welded Legs • Net Weight : 60 Kg • Color-Grey 				
29	Office Large AlmiraH : Size W-900 X D-510 X H-1970 <ul style="list-style-type: none"> • Body and Door Made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet • Back & Shelves made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet • Four shelves provided making 5 equal compartments for storage • High quality three way locking mechanism and Traditional Solid Handle • Completely Knock Down Design with Solid Welded Legs • Net Weight : 60 Kg • Color-Grey 				



[Handwritten signature]

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
30	Office Large Almira With Locker : Size W-900 X D-510 X H-1970				
	<ul style="list-style-type: none"> Body and Door Made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet 				
	<ul style="list-style-type: none"> Back & Shelves made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet 				
	<ul style="list-style-type: none"> Four shelves provided making 5 equal compartments for storage 				
	<ul style="list-style-type: none"> High quality three way locking mechanism and Traditional Solid Handle 				
	<ul style="list-style-type: none"> Completely Knock Down Design with Solid Welded Legs 				
	<ul style="list-style-type: none"> Net Weight : 60 Kg Color-Grey 				
31	Office Small Almira :				
	Size W-810 X D-430 X H-1370				
	<ul style="list-style-type: none"> Body and Door Made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet 				
	<ul style="list-style-type: none"> Back & Shelves made of 0.8 mm thick (22 Gauge) Powder coated CRCA Sheet 				
	<ul style="list-style-type: none"> 3 shelves provided making 4 equal compartments for storage 				
	<ul style="list-style-type: none"> High quality three way locking mechanism and Traditional Solid Handle 				
	<ul style="list-style-type: none"> Completely Knock Down Design with Solid Welded Legs Net Weight : 36 Kg Color-Grey 				
32	Metal Personal Locker : Unit Size - W-900 X D-510 X H-1970				
	<ul style="list-style-type: none"> Manufactured by prime quality of CRCA "cold rolled close annealed" Steel sheets 				
	<ul style="list-style-type: none"> Available as main and add-on unit for effective space utilization Number of configuration are, 4-unit 				
	<ul style="list-style-type: none"> Complete body and shelves are of 0.8 mm thick with reinforced supports. Bottom pan can also be used as a shelf 				
	<ul style="list-style-type: none"> Lock is made up of Metal, zinc alloy core, steel cam with Key Rotation angle 90 degree, lever rotation: 90 degree. Master key and combination 				
	<ul style="list-style-type: none"> Hanger is provided to each compartment 				
	<ul style="list-style-type: none"> Provision for Name plate is provided on each door 				
	<ul style="list-style-type: none"> Door bumper is provided to each door silent operation of the door All lockers have ventilating holes for air circulation 				



35


SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
33	<p>Industrial Cooler : Single Phase, 150 Ltrs, 1100 wt Motor, 3 Speed Axial Fan 30", 950 RPM, 1 Year Warranty on Fan Motor. Brand - Symphony/ Voltas or equivalent</p>				
34	<p>Air Cooler :</p> <p>Specification: Made out of FRP body, having Honey Comb Pad for long durable cooling and odour free and maintenance free performance for longer time, 1 Year Warranty on Fan Motor. Brand - Symphony/ Voltas or equivalent</p> <p>Size: Height 50" inch Width 34" inch Depth 24" inch</p> <p>Fan Motor : 21 inch Climatizer. Water Tank : 120 Ltrs. Air Flow : 400 sqft. Fan Speed : 3 speed. Fan RPM : 1300. Power : 230/50. Drainage : Valve.</p>				
35	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <ol style="list-style-type: none"> 1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support 2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support. 3. Armrests Armrest made of chrome plated steel frame with foam & upholstery 4. Base Uni body steel casted Chrome plated Base with premium quality castor wheels. 5. Size 1230 H X 710 W X 700 D 6. Mechanism Knee Tilt multi position premium quality synchro mechanism 				




Handwritten signature or initials.

Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
36	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <ol style="list-style-type: none"> Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support. Armrests Armrest made of stainless steel frame with fixed padded armrest. Base Uni body steel casted Chrome plated Base with premium quality castor wheels. Size 1270 H X 740 W X 660 D Mechanism Knee Tilt multi position premium quality synchro mechanism 				
37	<p>PREMIUM WOODEN DIRECTOR TABLE WITH</p> <p>ERU750 mm 1080 mm 3000 mm Table top made of 19 mm BWR Ply (710 grade) table top with 230 mm overhang in front and 75 mm over hang at sides Overall Size side ERU 550 mm 480 mm 1500 mm ERU top made of 19 mm BWR Ply (710 grade) table top. Other Details 1 Frame gable End Made of 19 mm BWR Ply (710 grade) finished with matching veneer of approved grains and colour with All internal & underside surfaces of tables shall be finished with 0.8 mm thk laminate. All BB/Ply edges shall be finished with TW beading. 2 Frame Modesty panels Doors and ERU shelves : 12 mm ply sides and bottom, 19 mm front and within 19mm BB boxing etc complete with matching veneer of approved grains and colour with All internal & underside surfaces of tables shall be finished with 0.8 mm thk laminate. All BB/Ply edges shall be finished with TW beading.</p>				


134

Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
38	<p>PREMIUM WOODEN DIRECTOR TABLE WITH ERU Leaping All BB/Ply edges shall be finished with TW beading. 4 Pedestal 4 Drawer Overall size pedestal: H712mm x W450mm x D600mm Body and drawer face made up of 19 mm BWR Ply (710 grade) finished with matching veneer of approved grains and colour with All internal & underside surfaces of tables shall be finished with 0.8 mm thk laminate. All BB/Ply edges shall be finished with TW beading. 5 Drawers inside unit Drawers inside unit made up of 12mm thick Pre laminated ISI mark MDF board with edges covered with 0.8 mm thk laminate</p>				
39	<p>PREMIUM WOODEN DIRECTOR TABLE WITH ERU 750 mm 1200 mm 3600 mm Table top made of 19 mm BWR Ply (710 grade) table top with 230 mm overhang in front and 75 mm over hang at sides 550 mm 600 mm 1800 mm ERU top made of 19 mm BWR Ply (710 grade) table top 550 mm 600 mm 1800 mm ERU top made of 19 mm BWR Ply (710 grade) table top 1 Frame gable End Made of 19 mm BWR Ply (710 grade) finished with matching veneer of approved grains and colour with All internal & underside surfaces of tables shall be finished with 0.8 mm thk laminate. All BB/Ply edges 4 Pedestal 4 Drawer Overall size pedestal: H712mm x W450mm x D600mm</p>				
40	<p>PREMIUM WOODEN DIRECTOR TABLE WITH ERU 750mm 900 mm 2400 mm Table Top made from 43mm thick MDF board ISI mark with 0.60mm (min) thick high Pressure post form lamination 750 mm 450 mm 1200 mm ERU Table Top made from 43mm thick MDF board ISI mark with 0.60mm (min) thick high Pressure post form lamination with 2 drawer and 2 doors & and rest of 18 mm pre laminated MDF board</p>				


SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
41	<p>DIRECTOR TABLE WITH BACK UNIT</p> <p>Director Table 2400W x 1000D x 750H Director Table overall size 2400W x 1000D x 750H, Table top made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top & sides and balancing on bottom sides, Box design front of the table consist of pedestal one side and shelf another sides made up of Plywood with veneer & PU Polish in front & balancing in inside Side Cabinet 1200W x 600D x 750H Side Cabinet overall size 1200W x 600D x 750H, Cabinet Top made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top & sides and balancing on bottom sides, Side cabinet under structure & body mad</p>				
42	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <p>1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support.</p> <p>3. Armrests Armrest made up of Stainless Steel frame with foam & upholstery</p> <p>4. Base Uni body steel casted Chrome plated Base with premium quality castor wheels.</p> <p>5. Size 1180 H X 700 W X 650 D</p> <p>6. Mechanism Knee Tilt multi position premium quality synchro mechanism</p>				

Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
43	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <p>1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support.</p> <p>3. Armrests Armrest made of stainless steel frame with fixed padded armrest.</p> <p>4. Base Uni body steel casted Chrome plated Base with premium quality castor wheels.</p> <p>5. Size 1270 H X 740 W X 660 D</p> <p>6. Mechanism Knee Tilt multi position premium quality synchro mechanism</p>				
44	<p>Premium Executive Table</p> <p>750 mm 900 mm 2100 mm</p> <p>Table Top Thickness 50-55 mm Thick MDF Board (BSL) With 2mm</p> <p>Thick Edge banded Finish With As Per Approved Laminate Shade 700 mm 450 mm 1200 mm ERU Table Top 25mm Thick MDF Top With 2mm Thick Edge banded 1 Frame gable End Gable end Made Of 25mm Thick MDF Board With Metal Leg.</p> <p>2 Frame Modesty panels</p>				
45	<p>Premium Executive Table</p> <p>765 mm 1050 mm 2100 mm Corner Round Curved Table Top 25mm Thick MDF Board With 2mm Thick Pvc Edge banded Finish With As Per Approved Laminate Shade 700 mm 500 mm 1200 mm ERU Table Top 25 mm with full compact PVC edging with Melamine finish in Rosewood, Metal Modesty Panel Size 1200W X 500H 1mm Thick Perforated Sheet Powder Coated . No Sharp Edges Of Metal Modesty Panel .Pedestal Size 500W x 600D x 700H Drawer Top and side 18mm Thick Wooden Board With 2mm Thick Edge banded</p>				



Handwritten signature or mark

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
46	<p>Premium Executive Table 690 mm 565 mm 1200 mm ERU Table Top 25 mm PLPB with full compact PVC edging with Melamine finish in Rosewood, 760 mm 1100 mm 2000 mm Tops are made of 45 mm PLPB effect with full compact half moon T molding, with Melamine finish in Rosewood</p>				
47	<p>Premium Executive Table 1 Frame gable End Gable end Made Of 25mm Thick PLPB Board . 2 Frame Modesty panels Doors and ERU shelves : 18mm Thick Wooden Shelve & Divider With 2mm Thick Edge banded 3 Leaping The edge banding by 2mm Thick Pvc Edge banded of same shade of laminated board, by hot process 4 Mobile Pedestal 3 Drawer Pedestal Size L: 488 x W: 592 x H: 670 mm Drawer Top and side 18mm Thick Wooden Board With 2mm Thick Edge banded Drawer All Wooden Panels Used 18mm Thick Edge banded . Drawer Panels Flat Edge Duly Sealed With Pvc Beading</p>				
48	<p>PREMIUM EXECUTIVE VISITOR CHAIR 1 Back 510 x 560 mm Medium Back made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam 2 Seat 510 x 540 mm Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam 3 Armrests Foam + Leatherette armrest cladded on Stainless Steel frame 4 Base Made of 1.5 mm thick elliptical capsule Stainless Steel pipe 5 Size 990 H X 680 W X 650 D</p>				
49	<p>PREMIUM EXECUTIVE VISITOR CHAIR 1. Back Medium Back made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam 2. Seat Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam 3. Armrests Foam + Leatherette armrest cladded on chair frame 4. Base Made of 1.5 mm thick elliptical capsule MS pipe with powder coating 5. Size 950 H X 550 W X 550 D</p>				



90

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
50	<p>PREMIUM 3 SEATER VISITOR WAITING CHAIR</p> <p>1. Overall size 1760 (L) x 450 (D) x 800 (H)</p> <p>2. Under Structure. The under structure is made up of CRCA sheet frame 2mm thick & Powder Coated in Sparkling Silver.</p> <p>3. Seat The seat frame shall be of pressed CRCA sheet 2 mm thick and fitted with 25mm thick high density HR foam covered by leatherette upholstery.</p>				
51	<p>OFFICE EXECUTIVE TABLE (With Side & Back Cupboard)</p> <p>750 mm 1050 mm 2100 mm</p> <p>Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination 725 mm 450 mm 1200 mm</p> <p>ERU Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination with 2 drawer and 2 doors & and rest of 18 mm pre laminated MDF board 725 mm 400 mm 1500 mm</p> <p>Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination</p>				
52	<p>RECEPTION TABLE</p> <p>750/1050 mm 1500 mm 300/600 mm Table Top made from ISI mark MDF board with 0.6 mm thick post formed laminated</p> <p>1. Overall dimension shall be L 1500 x H 1050/750 x D 600/300mm</p> <p>2. Overall size RTU shall be L900 x D400 x H1050/750mm</p> <p>3. The Reception desk shall have one drawer and one cabinet. Drawer mounted on telescopic channel</p> <p>4. RTU has one key board mounted on telescopic channels</p> <p>5. One CPU shelf, Cable manager, one drawer and cabinet of 300mm width</p>				



8



SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
53	<p>PODIUM "Z" SHAPED 1050/1200 mm 600 mm 500 mm Podium made from ISI mark MDF board with 0.6 mm thick post formed laminated</p> <ol style="list-style-type: none"> 1. Base, Top and Front Post side shall be post formed made of 18mm thick ISI marked commercial ply with 0.60mm min. thick high pressure post form lamination with 2 mm side edges covered 2. Top shall be covered from three sides to a height of 150mm 3. The top shall be fixed in taper shape 4. The Overall size the front side (vertical post) shall be W 200 x D 200mm at base and 150 x150 mm top 				
54	<p>EXECUTIVE STAFF HIGH BACK (NET) REVOLVING CHAIR</p> <ol style="list-style-type: none"> 1. Back The Tilting back is made up steel reinforced premium quality plastic tightly covered with high strength net, back rest shall also have neck rest as shown in figure. 2. Seat Seat is made up of hot pressed plywood and high Density HR foam upholstered with suitable high strength upholstery cloth. 3. Armrests Multi directional, 80 mm height adjustable Leatherite PU foam armrest. 4. Base Steel inserted PU covered Chrome plated Base 5. Size 960/ 1080 H X 640 W X 600 D 	 <p style="text-align: center;">As per the 8 coordinates</p>			
55	<p>EXECUTIVE STAFF HIGH BACK REVOLVING CHAIR</p> <ol style="list-style-type: none"> 1. Back PP injected moulded back is covered with high Density HR foam upholstered with high strength mesh fabric, built in lumbar support 2. Seat Seat is made up of 12 mm hot pressed plywood and high Density foam upholstered with high strength mesh fabric, in built lumbar support. 3. Armrests Multi directional, 80 mm height adjustable Leatherite PU foam armrest. 4. Base Aluminium Die casted base with premium quality nylon castor wheels. 5. Size 1060/1180 H X 650 W X 650 D 6. Mechanism The mechanism consists of single multi locking system with Synchro Mechanism. 				

131

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
56	<p>EXECUTIVE STAFF HIGH BACK REVOLVING CHAIR</p> <ol style="list-style-type: none"> Back 500 W x 790 H, The Tilting back is made up of hot pressed plywood and high Density foam upholstered with suitable high strength upholstery cloth and built in lumbar support Seat 490 X 500 mm Seat is made up of hot pressed plywood and high Density foam upholstered with suitable high strength upholstery cloth and built in lumbar support. Armrests Multi directional, 80 mm height adjustable Leatherite PU foam armrest. Base 5 prong Steel Reinforced PU covered Chrome plated Base Size 1060/1180 H X 650 W X 650 D 				
57	<p>EXECUTIVE VISITING CHAIR,</p> <ol style="list-style-type: none"> Back Medium Back made of injected moulded PU covered with netted Upholstery. Seat Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam Armrests Leatherette PU armrest cladded on chair frame Base Made of 1.5 mm thick 25 mm diameter stainless steel round pipe Size 950 H X 500 W X 450 D 				
58	<p>EXECUTIVE VISITING CHAIR</p> <ol style="list-style-type: none"> Back 490 x 250 Medium Back made of hot pressed plywood covered with high strength Upholstery cloth & High Density Foam. Seat 490 x 475 Seat made of hot pressed plywood covered with high strength Upholstery cloth & High Density Foam. Armrests Wooden polished armrest of size 25 x 40 mm Base Made of 25 x 40 mm wooden frame with fine finish & wooden polish Size 830 H X 540 W X 560 D 				

8

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
59	<p>TRAINING ROOM CHAIR 4 LEGS</p> <p>1. Overall Size Total Height: 990mm. Seat Height: 540mm. Depth: 550mm. and width: 540mm Seat size 450x500 mm Back size 460x540 mm</p> <p>2. Tablet size W290xD290mmx18mm thk. Made of pre lam MDF board ISI mark</p> <p>3. Base Base structure made of MS CR Tube of Dal. 19mmx1.2mm thk</p> <p>4. Bottom tray Bottom tray made of wire mesh Fixed in between legs</p> <p>5. Seat & Back Foam Cushion based on hot pressed 12mm thk. ply forms seat and back. Foam 45mm thk 40 density</p> <p>6. steel frame silver epoxy powder coated with seven tanks process. Coating thickness 50 micron</p> <p>7. Finish The overall appearance of the product shall be as per photograp</p>				
60	<p>MOBILE PEDESTAL (Steel storage) Door Cabinet</p> <p>1. Overall Dimensions W-400mm x D-525mm x H-670mm</p> <p>2. Post Formed Top made up of 25mm thick plain MDF board post formed laminated 0.6mm thick</p> <p>3. Leaping The edge banding of top by tape 2mm thick same shade of laminate board by hot process</p> <p>4. Complete Body, Outer Body, Door & shelf: Made up of Prime quality M S CRCA sheet 0.8mm thick. Door handle would be inbuilt self bended. Door lock Ebco/ Door set or equivalent multipurpose</p>				
61	<p>SINGLE SIDED MODULAR FILING RACK (3 side covered) : 1980 mm, 750 mm, 350 mm</p> <p>Rack shelves, Top, & Vertical legs made from 18 mm thick Pre Laminated ISI mark MDF board.</p> <p>1. Shelves Shelves made up of 25 mm thick pre laminated ISI Mark MDF board with exposed edges covered with 2mm edge band. Total 4 number of shelf making 5 compartments</p> <p>2. 3 Side Covering All side coverings made up of 18 mm thick pre laminated ISI Mark MDF board with all side edges covered with 2mm edge band</p>				

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
62	<p>GLASS SLIDING DOOR FILING CABINET</p> <ol style="list-style-type: none">Overall Dimensions H1850x W 914x D 400mm with 2 glass slides doors and 4 adjustable shelvesMaterial Completely made up of Prime quality CRCA steel sheet of 0.8m thicknessSliding Mechanism Roller bearing system with channel for sliding of both doorsType of Lock Cam Lever locks with common keysMaterial of handles Inserted Plastic handles on each doorFabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joints				
63	<p>SLIDING DOOR STEEL FILING CABINET</p> <ol style="list-style-type: none">Overall Dimensions H1850x W 914x D 400mm with 2 steel slides doors and 4 adjustable shelvesMaterial Completely made up of Prime quality CRCA steel sheet of 0.8m thicknessSliding Mechanism Roller bearing system with channel for sliding of both doorsType of Lock Cam Lever locks with common keysMaterial of handles Inserted Plastic handles on each doorFabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joint				



Dr

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
64	<p>SLIDING DOOR (3) STEEL FILING CABINET</p> <ol style="list-style-type: none"> Overall Dimensions H 1850 x W 1350 x D 400 mm with 3 steel slides doors and 4 adjustable shelves Material Completely made up of Prime quality CRCA steel sheet of 0.8m thickness Sliding Mechanism Roller bearing system with channel for sliding of both doors Type of Lock Cam Lever locks with common keys Material of handles Inserted Plastic handles on each door Fabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joints 				
65	<p>FILING CABINET FOUR DRAWER</p> <p>1290 mm 474mm 620 mm Filing cabinet is made up of CRCA sheet, confirming IS: 513-1986 with smooth locking arrangement.</p>				
66	<p>FILING CABINET 2 DRAWER</p> <ol style="list-style-type: none"> Filing cabinet is made up of CRCA sheet, confirming IS: 513-1986 with smooth locking arrangement. All the sheet metal components are given with anti-rust yellow passivation treatments prior to painting. All the sheet metal components coated with superior quality oven baked paint for long lasting finish Locking – The locking systems operative with the key only. The cylindrical rim-lock is used instead of push locking systems. 				


79

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
67	<p>PERIODICAL MAZINE DISPLAY STAND</p> <p>1. Overall Dimensions H1870x W 800x D 400mm with 5 taper sliding doors</p> <p>2. Material Prime quality CRCA steel sheet of 0.8 mm thick for sliding doors and 0.8mm cabinet body, back, top & shelves</p> <p>3. Fabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joints</p> <p>4. Sliding Mechanism U bend channel system should be made for sliding of doors</p> <p>5. Finish All steel components should be epoxy powder coated after anti corrosion pre treatment of surface</p>				
68	<p>DESK BASED MODULAR WORK STATIONS 1 SEATER</p> <p>1. Partition thickness is 60 mm for stability and with the inside gap between two tiles is approximately 50mm for higher wire carrying capacity</p> <p>2. Frame Horizontals & the verticals are made of Aluminium Extrusions of 1mm thick. All the frames will be duly powder coated based on the choice of the Powder Coat colour, as per Customers choice, which will be in line with the Top trims & end trims.</p>				


79

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
69	<p>DESK BASED MODULAR WORK</p> <p>750mm 1500mm 1500 mm Top to be made up of ISI mark 25 mm thick pre laminated Particle Board</p> <p>1. WORKSTATIONS 1500/1500X600/450MM (DB WS01) CLUSTER OF 4 PLUS SHAPE</p> <p>2. Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine</p> <p>3. UNDERSTRUCTURE- the legs to be made up of CRCA pipe of size 60x17 mm in trapeze shape with cross member for support and stability finished with powder coating.</p> <p>4. SCREEN- Divider screen of size 1200x300mm to be fixed above the tabletop level. The screen shall be of 4+4mm back painted glass to be fixed with the help of die casted metal brackets.</p>				
70	<p>DESK BASED MODULAR</p> <p>750mm 1500mm 1500 mm Top to be made up of ISI mark 25 mm thick pre laminated Particle Board</p> <p>1. WORKSTATIONS 1500/1500X600MM (DB WS02) CLUSTER OF 4 PLUS SHAPE</p> <p>2. Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine</p> <p>3. UNDERSTRUCTURE- The under structure to be made up of CRCA, C shaped legs shall be of pipe of size 50x50 mm and 40x40 cross member for support and stability finished with powder coating.</p> <p>4. SCREEN- Divider screen of size 1500x300mm to be fixed above the tabletop level. The fabric screen to be in 30/32mm thickness having aluminum sections all 4 sides</p>				


785

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
71	<p>DESK BASED MODULAR 750mm 600mm 1200 mm Top to be made up of ISI mark 25 mm thick pre laminated Particle Board</p> <p>1. WORKSTATIONS 1200X600MM, WITH MOBILE STORAGE OF SIZE 900X400X650. (DB WS04) CLUSTER OF 4 BACK TO BACK</p> <p>2. Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine</p> <p>3. UNDERSTRUCTURE- The under structure to be made up of CRCA, Loop legs shall be of pipe of size 50x50mm/60x30mm and 40x40 cross member for support and stability finished with powder coating.</p> <p>4. SCREEN- Divider screen of size1050x300mm to be fixed above the table top level. The fabric screen to be in 30/32mm thickness having aluminium sections all 4 sides.</p>				
72	<p>DESK BASED MODULAR 750mm 1500mm 1500 mm Top to be made up of ISI mark 25 mm thick pre laminated Particle Board</p> <p>1. WORKSTATION 1500X1500X600MM, WORKSTATION WITH METAL PERFORATED FRONT MODESTY, (DB WS 06) CLUSTER OF 2 (C SHAPE)</p> <p>2. Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine</p> <p>3. UNDERSTRUCTURE- The under structure to be made up of CRCA, C shaped legs shall be of pipe of size 50x50 mm with 40x40 cross member for support and stability finished with powder coating. Below worktop level CRCA perforated modesty shall be fixed on all outer sides.</p>				


Handwritten signature

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
73	<p>DESK BASED MODULAR</p> <p>750mm 600mm 1200 mm Top to be made up of ISI mark 25 mm thick pre laminated Particle Board</p> <ol style="list-style-type: none"> 1. WORKSTATIONS 1200X600MM (DB WS8) CLUSTER OF 4 2. Top to be made up of ISI mark 25 mm thick pre laminated Particle Board finished with 2 mm thick PVC edging applied on Through Feed Edging Machine 3. UNDERSTRUCTURE- The under structure to be made up of CRCA, Loop legs shall be of pipe of size 50x50mm/60x30mm and 40x40 cross member for support and stability finished with powder coating. 4. SCREEN- Divider screen of size 900x300mm to be fixed above the table top level, shall be made of 12mm PLPB, to be fixed with the metal die casted brackets. 				
74	<p>CONFERENCE TABLE</p> <ol style="list-style-type: none"> 1. Capacity: 10 seater Conference Table 2. Overall Dimensions Dimension of seating 1 seater: 675mm L x 525mm W x 740mm H. 2 seater: 1350mm L x 525mm W x 740mm H. Corner 1 seater: 525mm x 525mm in curvature 3. Top post forming Post formed Table 25 mm thick pre laminated ISI Mark MDF board with 0.60mm min. thick high pressure post form lamination 4. Leaping The edge banding shall be done by 2mm thick PVC tape by hot pressed machine of matching colour 				

FF

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
75	<p>CONFERENCE TABLE 750mm 1200 mm 3600mm Top 45 mm Thick (25mm Top + 18mm Batten) plywood as Per Approved Laminate Shade Flat Edge Duly Sealed With 2mm Thick Pvc Beading. 1. Leaping Flat Edge Duly Sealed With 2mm Thick Pvc Beading.. 2. Under Structure Gable - End Made Of Prime Quality 25 mm Thick Plywood. Modesty Panel Prime Quality 18 mm Thick plywood, 450mm High Supported To Top 3. Shoes Good quality levelling adjusters should be provided at the bottom 4. 4 Finish The overall appearance of the product shall be as per photograp</p>				
76	<p>MODULAR BED DOUBLE 1810 mm 900/450 mm 1975 mm Front side/ Foot side & back side panel shall be made of 25mm thick ISI mark MDF board, with 0.60mm min. thick high pressure post form lamination with 2 mm side edges covered. 1. Front side/ Foot side & back side panel shall be post formed & made up of 25mm thick ISI mark MDF board, with 0.60mm min. thick high pressure post form lamination with 2 mm side edges covered 2. Side panels should be made up of 18 mm thick ISI mark MDF board, with 0.60mm min. thick high pressure post form laminated on it and having teak wood support 5 nos. of 45x24mm size and 45x22mm for side rails for resting top</p>				



dr

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
77	<p>MODULAR MULTIPURPOSE STORAGE CABINET 790 mm 425 mm 1820 mm Sides / Shelf made of 18 mm ISI marked pre laminated MDF Board with 0.8mm thick PVC tape Front 2 doors made of 18 mm ISI marked MDF Board with 0.60mm min. thick high pressure duly post form lamination with 2 mm side edges bend.</p> <ol style="list-style-type: none"> 1. Over all dimension of the storage rack are 2. Sides / Shelf made of 18 mm ISI marked pre laminated MDF Board with 0.8mm thick PVC tape by hot pressed machine of matching colour 3. Front 2 top doors made of 18 mm ISI mark MDF board duly post formed and 5mm glass fixed with plastic brackets with 100 mm S.S. handles and modular hinges, and Bottom 2 doors made of 18 mm ISI mark MDF board duly post formed with 100 mm S.S. handles and modular hinges 4. Base skirting of 70mm height 5. Back shall of 12mm thick ISI marked pre laminate MDF Board 				
78	<p>MODULAR CENTER TABLE AND ROUND TABLE 600 mm 470 mm 1200 mm Top and frame made of 18mm thick ISI mark plain MDF Board with melamine polish matt finish. Legs made op of 32mm thick ISI mark plain MDF Board with melamine polish matt finish.</p> <ol style="list-style-type: none"> 1. Top and frame made of 18mm thick ISI mark plain MDF Board with melamine polish matt finish 2. Legs made op of 32mm thick ISI mark plain MDF Board with melamine polish matt finish 3. Good quality buffer should be provided on the legs 4. Overall appearance of the item shall be as per the photograph 				



176


SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
79	<p>AUDITORIUM CHAIR</p> <p>Width - 560 mm Centre to centre of the handles. (22") Seat Width - 475 mm Seat Depth - 440 mm Over all Height : 1030mm Handle height - 610 mm Tipped-up Depth- 635mm 2 Fixed type chair with Auto tip-up feature 3 Polypropylene co- polymer moulded housing for cushion & backrest 4 The PVC frame/cover of seat shall have sufficient perforation for sound absorption 5 The seat must have two extended brackets at the back working as stoppers 6 Moulded flame resistant & CFC free PU foam 7 Arm rest without cup holder (Wooden/Plastic)</p>				
80	<p>SOFA SET 1 Seater</p> <p>1. Overall Dimensions: (1 Seater Sofa Set) 750W X 770D X 760H 2. Frame construction: Kiln seasoned mixed meranti solid tropical hard wood 3. Seats webbing 3" diagonal pattern wedding 4. Foam: 32 density soft foam used for comfortable seats and 32 density hard foam used for back rest 5. Upholstery semi PVC with nylon bonded thread stitching 6. Legs are made up of SS /Fiber/Wood. with melamine matt finish</p>				
81	<p>SOFA SET 2+2 Seater</p> <p>1. Overall Dimensions Dimension of seating 2 pairs of 1 seater: 920W x 850D x 720H 1 set of 2 seater: 1400W x 850D x 720H 2. Frame Construction Main frame base & legs made of B grade teak wood and all other under structure of 19mm thick BWR plywood ISI marked 3. Seats webbing 3" diagonal pattern wedding 4. Foam The seat to be made out of 100 mm thick high resilience rubber foam cushion density 50. HD U foam and back cushion in 50 mm thick. 5. Arm Rest As shown in figure arm rest made of ISI marked 19 mm thick BWR plywood covered HD foam and upholstery.</p>				

Dr



SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
82	<p>SOFA SET 3+2 Seater</p> <p>1. Overall Dimensions Dimension ofseating 2 pairs of 1 seater: 900W x 850D x 720H 1 set of 3 seater: 1950W x 850D x 720H</p> <p>2. FrameConstruction Main frame made of B grade teak wood and under structure of 19mm thick BWR plywood ISI marked</p> <p>3. Seats webbing 3" diagonal pattern wedding</p> <p>4. Foam The seat to be made out of 100 mm thick high resilience rubber foam cushion density 50. HD U foam and back cushion in 50 mm thick.</p> <p>5. Arm Rest Main frame body structure made of B grade teak wood.</p>				
83	<p>SOFA SET 3+2 Seater</p> <p>1. Overall Dimensions Dimension ofseating 2 pairs of 1 seater: 900W x 850D x 720H 1 set of 3 seater: 1950W x 850D x 720H</p> <p>2. FrameConstruction Understructure Made By Solid Wood with Round Pipe Chrome Plated Legs, Structures fitted with Heavy Quality Spring For Maximum Comfort</p> <p>3. Seats webbing 3" diagonal pattern wedding</p> <p>4. Foam 32 density soft foam used for comfortable seats and 32 density hardfoam used forback rest</p> <p>5. Arm Rest Wooden Structure Uphostered With Leatherite & HD Foam 32 Softy</p>				

75


Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
84	<p>PREMIUM WOODEN DIRECTOR TABLE WITH ERU Overall size pedestal: H712mm x W450mm x D600mm Body and drawer face made up of 19 mm BWR Ply (710 grade) finished with matching veneer of approved grains and colour with All internal & underside surfaces of tables shall be finished with 0.8 mm thk laminate. All BB/Ply edges shall be finished with TW beading. Drawers inside unit made up of 12mm thick Pre laminated ISI mark MDF board with edges covered with 0.8 mm thk laminate. All BB/Ply edges shall be finished with TW beading</p>				
85	<p>PREMIUM WOODEN DIRECTOR TABLE WITH ERU 750mm 900 mm 2400 mm Table Top made from 43mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination Overall Size side ERU 750 mm 450 mm 1200 mm ERU Table Top made from 43mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination with 2 drawer and 2 doors & and rest of 18 mm pre laminated MDF board.</p>				

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
86	<p>DIRECTOR TABLE WITH BACK UNIT <u>Director Table</u> 2400W x 1000D x 750H Side Cabinet 1200W x 600D x 750H Back Cabinet 2700W x 500D x 2100H Director Table overall size 2400W x 1000D x 750H, Table top made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top & sides and balancing on bottom sides, Box design front of the table consist of pedestal one side and shelf another sides made up of Plywood with veneer & PU Polish in front & balancing in inside Side Cabinet overall size 1200W x 600D x 750H, Cabinet Top made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top & sides and balancing on bottom sides, Side cabinet under structure & body made up</p>				
87	<p>DIRECTOR TABLE WITH BACK UNIT <u>Director Table</u> Set 2400W x 2200D x 750H Director Table set overall size 2400W x 2200D x 750H, table with attached side cabinet one side and Leg another side, top of table & side return made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top, One side Box design Back Cabinet 2700W x 500D x 2100H Back Cabinet overall size 2700W x 500D x 2100H, Cabinet top made up of 75mm thickness with combination of plywood & batten with 4mm thick veneer with PU polish on top, sides and bottom of top, Back cabinet under structure & body made up combination of full height cabinet in both the sides</p>				



179

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
88	<p>Premium Executive Table EIGHT WIDTH LENGTH MATERIAL Overall Size Main Table 750 mm 900 mm 2100 mm Table Top Thickness 50-55 mm Thick MDF Board (BSL) With 2mm Thick Edge banded Finish With As Per Approved Laminated Shade Overall Size side ERU 700 mm 450 mm 1200 mm ERU Table Top 25mm Thick MDF Top With 2mm Thick Edge banded.</p>				
89	<p>Premium Executive Table 770 mm 1000 mm 2000 mm Tops are made of 45 mm effect with full compact half moon T molding with Melamine finish in Rosewood, Mobile Pedestal 3 Drawer Pedestal Size 500W x 600D x 650H Drawer Top and side 18mm Thick Wooden Board With 2mm Thick Edge banded Drawer All Wooden Panels Used 18mm Thick Edge banded. Drawer Panels Flat Edge Duly Sealed With Pvc Beading andles C - Frame Handles. Shoes Good quality levelling adjusters should be provided at the bottom.</p>				
90	<p>Executive Table 1. Frame gable End Gable end Made Of 25mm Thick PLPB Board . 2. Frame Modestypanels Doors and ERU shelves : 18mm Thick Wooden Shelve & Divider With 2mm Thick Edge banded 3. Leaping The edge banding by 2mm Thick Pvc Edge banded of same shade of laminated board, by hot process 4. Mobile Pedestal 3 Drawer Pedestal Size L: 488 x W: 592 x H: 670 mm Drawer Top and side 18mm Thick Wooden Board With 2mm Thick Edge banded Drawer All Wooden Panels Used 18mm Thick Edge banded . Drawer Panels Flat Edge Duly Sealed With Pvc Beading</p>				



dh

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
91	<p>EXECUTIVE VISITING CHAIR</p> <p>1. Back Medium Back made of Stainless steel capsule & round pipe covered with netted Upholstery.</p> <p>2. Seat Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>3. Armrests Leatherette PU armrest cladded on chair frame</p> <p>4. Base Made of 1.5 mm thick 25 mm diameter stainless steel round pipe</p> <p>5. Size 950 H X 500 W X 450 D</p>				
92	<p>Premium Executive Table</p> <p>760 mm 1200 mm 1800 mm</p> <p>Tops are made 25 mm PLPL effect with full compact PVC edging with melamine finish in mahogany color 760 mm 600 mm 750 mm</p> <p>ERU Table Tops are made 25 mm PLPL effect with full compact PVC edging with melamine finish in mahogany color</p>				



173

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
93	<p>Premium Executive Table HEIGHT WIDTH LENGTH 750 mm 900 mm 1800 mm Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination HEIGHT WIDTH LENGTH : 725 mm 470 mm 1400 mm ERU Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination & and rest of 18 mm pre laminated MDF board. ERU shall be detachable. 750 mm 900 mm 1100 mm Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination and rest of 18 mm pre laminated MDF board Joining table shall be coated with membrane and shall be detachable.</p>				
94	<p>Premium Executive Table HEIGHT WIDTH LENGTH 750 mm 1000 mm 2000 mm Table Top made from 25mm thick MDF board ISI mark H in curvature design with edges covered with 2mm edge band 1. Gable End Gable end made up of 25mm of size 685mmW x 560mm H and half circular of 300mm fitted on it and modesty panel of 18mm of size 1680mm W x 600mm H ISI mark 18mmMDF prelam board with edges covered with 0.8mm edge band by hot pressed machine of Matching colour 2. Pedestal Mobile Pedestal with 2 drawers on telescopic slider channel matching with table overall size 400mm W x 550mm D x 600mm H</p>				



ds

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
95	<p>OFFICE EXECUTIVE TABLE WITH SIDE UNIT</p> <p>HEIGHT WIDTH LENGTH 750 mm 750 mm 1650 mm</p> <p>Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination with four drawers & and front side of drawer made by 18mm MDF board edges covered with 0.8mm and 2mm edge band. HEIGHT WIDTH LENGTH :</p> <p>725 mm 400 mm 900 mm ERU Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination with two doors & and front side of drawer by 18mm MDF board in post form at bottom.</p> <p>1. Leaping The edge banding by tape 2mm thick of same shade of laminated board, by hot process</p> <p>2. Mobile Pedestal 3 Drawer Overall size pedestal: H675mm x W425mm x D585mm. Body and drawer face made up of 18mm thick Pre laminated ISI mark MDF board & edges covered with 0.8mm and 2mm edge band 3 Drawers inside unit made up of 12mm thick Pre laminated ISI mark MDF board & edges covered with 0.8mm edge band running on good quality telescopic sliders</p>				
96	<p>OFFICE EXECUTIVE TABLE (STEEL storage & Frame)</p> <p>HEIGHT WIDTH LENGTH 750 mm 865 mm 1675mm 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination</p> <p>1. Leaping The edge banding of tape 2 mm thick of same shade of laminate by hot Process.</p> <p>2. Under Structure Square Tubular under structure made of superior quality CRMS tube/ERW pipe of 32 x 32 x 1.25 mm thick, CRCA sheet of size20x40x20 mm Back panel and full length foot rest is to be provided as shown in Photograph.</p> <p>STRUCTURE SIZE</p> <p>3. Storage unit Shall be made of 0.8 mm CRCA sheet, The right side storage unit has three box drawers and pull out tray. The left side storage unit has one pullout tray, one box type drawer and one drawer for filling</p> <p>4. Pull out tray A specially designed centre pull out tray is to be provided with height of 50mm. Central and top side trays shall be provided with compartments for keeping office items</p> <p>5. All the drawers are to be provided with sliding channel system</p> <p>6. Overall Dimension of storage units: H=550mm, W=420mm, D=715mm. The thickness of Storage units shall be minimum 0.80mm</p>				



72

Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
97	<p>OFFICE EXECUTIVE TABLE (Metal frame, Wooden storage) HEIGHT WIDTH LENGTH 735 mm 900 mm 1825 mm Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination & and front side of drawer by 18mm MDF board in post form at bottom. HEIGHT WIDTH LENGTH : 725 mm 800 mm 1625 mm ERW Pipes of 32mm x32mm x 1.2mm thick.</p> <ol style="list-style-type: none"> Leaping The edge banding by tape 2 mm thick of same shade of laminated board, by hot process Storage unit. The storage unit on right side shall be made of three drawers of 18mm and 12mm pre laminated MDF board Overall Dimension H525mm x W450mm x D760mm. The storage on left side shall be made of one drawer & one cabinet of 18mm and 12mm pre laminated MDF board Back & Side panel Made of same material as top but shall be of 18mm thick pre laminated MDF board 				
98	<p>OFFICE EXECUTIVE BACK UNIT HEIGHT WIDTH LENGTH 610 mm 510 mm 1380 mm Table Top made from 25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination.</p> <ol style="list-style-type: none"> Rest of the table shall be made of 18mm thick MDF board ISI mark with laminate on it Fitting Module hinges 2 No each with 100mm decorative handle, locking arrangement, magnet catcher, Shoe on base Leaping The edge banding shall be done by 2mm thick PVC tape by hot pressed machine of matching colour Appearance of the product should be as per the above photograph 				



Handwritten signature or mark

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
99	<p>OFFICE STAF TABLE (Steel Structure)</p> <p>HEIGHT WIDTH LENGTH 750 mm 600 mm 1200 mm</p> <p>Table Top made from 25mm thick ISI mark MDF board with 0.6 mm thick post formed laminated.</p> <p>1. Leaping The Side edges of top shall be sealed with tape 2mm thick edge bands by hot process</p> <p>2. Frame StructureMade up of Prime quality CRCA rectangular tube 25x50x1.2 mm thick welded to Press formed steel column 95mm x 25mm x 1.0mm thick covered with folding panel in different colour, made of prime quality CRCA sheet 65mm x 23mmx0.6mm thick. Upper tie members & foot rest, to join two leg assemblies, made of press formed prime quality CRCA sheet 50mm x 25mmx1.0mm thick OR rectangular CR tube of same size</p> <p>3. Upper Front Panel Press formed point embossed Prime quality CRCA sheet of H-150mm x D- 100mm x 0.6mm thick in different colour shade. This panel also serve as cable duct to run electric/data cables</p> <p>4. Lower Front Panel Made up of prime quality CRCA sheet 380mm wide x 0.8mmthick square perforated (at 35mm pitch approx.) matching with structure colour</p>				
100	<p>TEACHERS TABLE (BOTH SIDE STORAGE)</p> <p>HEIGHT WIDTH LENGTH 750 mm 680 mm 1350 mm</p> <p>25mm thick MDF board ISI mark with 0.60mm (min)thick high Pressure post form lamination.</p> <p>HEIGHT WIDTH LENGTH 725 mm 630 mm 1250 mm Round Tubularprime quality ERW tubes of Dia 25 mm x 1.5 mm thick. 1. Leaping The edge banding by tape 2 mm thick of same shade as of laminated board by hot process</p> <p>2. Under Structure Round Tubular under structure made of prime quality ERW pipes of Dia 25mm x1.5 mm thick and top frame made up of square pipe of 25 x 25 x 1.5 mm. Structure Size</p> <p>3. Both Storage Units Shall be made of 0.8 mm CRCA sheet, Three drawers storage unit to operate on precision slide is to be provided on the right side of the table and two drawers on the other side as shown in photograph. The dimensions of each storage units shall be H460mm x W355mm x D570 mm</p>				



71

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
101	<p>COMPUTER TABLE <u>HEIGHT WIDTH LENGTH</u> 750 mm 600 mm 1200 mm Table Top made from 18mm thick pre laminated ISI Mark MDF board.</p> <ol style="list-style-type: none"> Leaping The edges of top and drawer front shall be sealed with tape 2mm and remaining with 0.8mm thick edge bands by hot process Storage fixed 1 Drawer: Overall size pedestal H675mm x W325mm x D585mm Body and drawer face made up of 18mm thick pre laminated ISI Mark MDF board with edges covered with 0.8mm and 2mm edge band. Drawer inside unit made up of 11mm thick MDF board ISI MARK with edges covered with 0.8mm edge band running on good quality telescopic sliders 				
102	<p>COMPUTER TABLE <u>HEIGHT WIDTH LENGTH</u> 750 mm 500 mm 800 mm Table Top made from 18mm thick pre laminated ISI Mark MDF board.</p> <ol style="list-style-type: none"> Leaping The edges of top and drawer front shall be sealed with tape 2mm and remaining with 0.8mm thick edge bands by hot process Key board made up of 18mm thick pre laminated ISI Mark MDF board sliding on good quality 350mm telescopic slider Handles High quality SS handles to be provided Shoes Good quality levelling adjusters should be provided at the bottom Locking arrangement Centre locking arrangement is to be provided for all drawers The overall appearance of the product shall be as per photograph 				



Handwritten signature or mark


Sl No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
103	<p>GLASS DOOR CABINET</p> <ol style="list-style-type: none"> Overall Dimensions H1850x W 900x D450mm with 2 glass doors and 4 adjustable shelves Material Completely made up of Prime quality CRCA steel sheet of 0.8m thickness Door Mechanism Door fixed with non corrosive double hinges each side Type of Lock Cam Lever locks with common keys Material of handles Premium quality non corrosive handles on each door Fabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joints Visible glass Visible glass of thickness 5m should be fitted on each door Finish Allsteel components should be epoxy powder coated after anti corrosion pre treatment of surface 				
104	<p>GLASS SLIDING DOOR CABINET</p> <ol style="list-style-type: none"> Overall Dimensions H1850x W 914x D 400mm with 2 glass slides doors and 4 adjustable shelves Material Completely made up of Prime quality CRCA steel sheet of 0.8m thickness Sliding Mechanism Roller bearing system with channel for sliding of both doors Type of Lock Cam Lever locks with common keys Material of handles Inserted Plastic handles on each door Fabrication All steel components are to be precisely fabricated. Workmanship and welding shall be of high-level quality with neat and strong joints Visible glass Visible glass of thickness 5m should be fitted on each door Finish Allsteel components should be epoxy powder coated after anti corrosion pre treatment of surface 				

170

Sl No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
105	<p>HOSTEL BUNK BED</p> <p>1. Supported by four poles (one at each corner of bed) – a ladder (used to get to upper bed) upper bed surrounded by railing (to prevent the sleeper from falling out)</p> <p>2. Overall dimension Length of entire structure 2056 mm, Width of entire structure 915mm, Height of entire structure – excluding Mosquito net holding rods 1600mm, Actual length of bed 1980mm, Actual width of bed 915mm, Guard rail height 260 mm, Gap between beds 915mm, Width of ladder 460mm</p> <p>3. Main Structure Vertical leg structure shall be made of ERW Tube of size 38 mm X 38 mm with 2.0 mm wall thickness, Bed Frames shall be made of ERW Rectangular pipe 50 mm X 25 mm X 1.5 mm wall thickness with 4 Nos of Horizontal support pipes of 25 x 25 x 1.5mm thick Square pipe.</p> <p>4. Railing All support structure shall be made of 25 x 25 x 1.5mm thick Square pipe.</p> <p>5. Stairs Stair step sections Tube of size 25 mm X 25 mm with 1.5 mm wall thickness.</p> <p>6. Bed Top 18 mm thick ISI Marked Plywood Phenol Bonded BWP Grade as per IS 710:2010, fitted in frame</p>				
106	<p>CLASSROOM DUAL-DESK SEATER SENIOR</p> <p>Width Depth Height 1050 mm 875 mm 760/450 mm</p> <p>Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min. thick high pressure post form lamination with 2 side edges covered with 2mm edge band. Table Top 1050 mm 400 mm 760 mm</p> <p>Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min. thick high pressure post form lamination with 2 side edges covered with 2mm edge band.</p> <p>Seat 1050 mm 300 mm 450 mm</p> <p>Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min. thick high pressure post form lamination with 2 side edges covered with 2mm edge band.</p> <p>Back Rest 1050 mm 175 mm 800 mm</p> <p>Made up of 18 mm thick Pre laminated MDF Board ISI mark with all side edges covered with 2mm edge band.</p>				


[Handwritten signature]

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
107	<p>CLASSROOM DUAL-DESK 1 SEATER Width Depth Height Material Details (INTEGRATED CLASSROOM DESK BENCH 2 SEATER) 600 mm 875 mm 760/450 mm Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min. thick high pressure post form lamination with 2 side edgcovered with 2mm edge band. Individual part Width Depth Height Material Details Table Top 600 mm 425 mm 760 mm Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min. thick high pressure post form lamination with 2 side edges covered with 2mm edge band. Seat 600 mm 325 mm 450 mm Made up of 18 mm thick plain MDF Board ISI mark with 0.60mm min.</p>				
108	<p>MODULAR WORK STATION 1 SEATER Width Height Length 1200 mm 600 mm 1200 mm 1. Frames Partition thickness is 60 mm for stability and with the inside gap between two tiles is approximately 50mm for higher wire carrying capacity 2. Frame Horizontals & the verticals are made of Aluminium Extrusions of 1mm thick. All the frames will be duly powder coated based on the choice of the Powder Coat colour, as per Customers choice, which will be in line with the Top trims & end trims 3. All the frames are fastened together by means of M6 Nuts & Bolts. They can be attached to form a 2-way, 3-way or a 4-way configuration. All the Caps viz end inline & universal & raceway caps are made out of Die-cast aluminium. These caps also are finished in an epoxy powder coating finish in the same colour. All the frames are fitted with levelling bolts 4. Table top made of 25mm thick Pre-laminated ISI marked MDF boards. Specially designed powder coated M.S.</p>				

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
109	<p>SS MESS DINNING TABLE WITH SEATING</p> <p>Width Length Heights 900 mm 2100 mm 750 mm</p> <p>Vertical Member/Legs Made of SS 202 Gr Size 38X38X1.2 mm Square Pipe</p> <p>Horizontal Member/ support 25X1.2 mm tubular pipe.</p> <p>Top should be made up of 1mm thick sheet SS 202 grade</p> <p>1. Each Sitting stool of top diameter 350mm made up of 1.2mm thick SS 202 Gr. sheet bended like tubular round plate. Under structure of tube made up of one straight leg of 38mm tubular pipe of 1.2 mm thickness of SS 202 support by three legs and one jointer leg to table of 25 mm tubular SS 202 pipe of 1.2mm thickness</p> <p>2. Stool and table are interconnected and stool should be able to fold for cleaning purpose</p> <p>3. Good quality shoes should be provided on the legs</p> <p>The overall appearance of the product shall be as per photograph</p>				
110	<p>SS MESS DINNING TABLE WITH SEATING</p> <p>Width Length Height 900 mm 1050 mm 750 mm</p> <p>1. Each Sitting stool of top diameter 350mm made up of 1.2mm thick SS 202 Gr. sheet bended like tubular round plate. Under structure of tube made up of one straight leg of 38mm tubular pipe of 1.2 mm thickness of SS 202 support by three legs and one jointer leg to table of 25 mm tubular SS 202 pipe of 1.2mm thickness</p> <p>2. Stool and table are interconnected and stool should be able to fold for cleaning purpose</p> <p>3. Good quality shoes should be provided on the legs</p> <p>The overall appearance of the product shall be as per photograph</p> <p>Vertical Member/Legs Made of SS 202 Gr Size 38X38X1.2 mm Square Pipe</p> <p>Horizontal Member/ support 25X1.2 mm tubular pipe.</p> <p>Top should be made up of 1mm thick sheet SS 202 grade.</p>				

69

Dr

SI No	Name of the Items	Sample Pictures	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
111	<p>SS MESS DINNING TABLE AND BENCH</p> <p>Width Length Height 750 mm 1500 mm 750 mm Vertical Member/Legs Made of SS 202 Gr Size 38X38X1.2 mm Square Pipe Horizontal Member/ support 32x32x1.2 mm squarer pipe. Top should be made up of 0.65 mm thick sheet SS 202 grade.</p> <p>1. Table and bench under structure vertical legs and top frame made up SS 202 Gr. of 38x38x1.2 mm thick square, bottom legs horizontal support should be made up of SS 202 grade 32x32x1.2mm square pipe. Top should be made up of 0.65mm SS 202 grade sheet PASTED ON 25mm plain ISI mark MDF board with balancing mica of 0.6mm on bottom , with all side machine bend and fitted on the frame</p> <p>2. Good quality shoes should be provided on the legs</p> <p>3. The overall appearance of the product shall be as per photograph</p>				
112	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <p>1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support.</p> <p>3. Armrests Armrest made up of Stainless Steel frame with foam & upholstery</p> <p>4. Base Uni body steel casted Chrome plated Base with premium quality castor wheels.</p> <p>5. Size 1180 H X 700 W X 650 D</p> <p>6. Mechanism Knee Tilt multi position premium quality synchro mechanism</p>				


168

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
113	<p>PREMIUM DIRECTOR HIGH BACK REVOLVING CHAIR</p> <p>1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support.</p> <p>3. Armrests Armrest made of stainless steel frame with foam & upholstery</p> <p>4. Base Uni body steel casted Chrome plated Base with premium quality castor wheels.</p> <p>5. Size 1180 H X 700 W X 650 D</p> <p>6. Mechanism Knee Tilt multi position premium quality synchro mechanism</p>				
114	<p>PREMIUM EXECUTIVE HIGH BACK REVOLVING CHAIR</p> <p>1. Back The back is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density HR foam upholstered with leatherette and built in lumbar support.</p> <p>3. Armrests Armrest made up of Steel Chrome frame with foam & PU upholstery</p> <p>4. Base Steel Reinforced PU covered Chrome plated Base</p> <p>5. Size 1180 H X 700 W X 650 D</p> <p>6. Mechanism Knee Tilt multi position premium quality lifting mechanism</p>				

Ar

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
115	<p>MEDIUM BACK REVOLVING CHAIR STAFF EXECUTIVE</p> <p>1. Back PP injected moulded back is covered with high Density HR foam upholstered with high strength mesh fabric, built in lumbar support</p> <p>2. Seat Seat is made up of 12 mm hot pressed plywood and high Density foam upholstered with high strength mesh fabric, in built lumbar support.</p> <p>3. Armrests Multi directional, 80 mm height adjustable Leatherite PU foam armrest.</p> <p>4. Base Aluminium Die casted base with premium quality nylon castor wheels.</p> <p>5. Size 980 H X 650 W X 650 D</p> <p>6. Mechanism The mechanism consists of single multi locking system with Synchro Mechanism</p>				
116	<p>PREMIUM VISITOR CHAIR</p> <p>1. Back 510 x 560 mm Medium Back made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>2. Seat 510 x 540 mm Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>3. Armrests Foam + Leatherette armrest cladded on Stainless Steel frame</p> <p>4. Base Made of 1.5 mm thick elliptical capsule Stainless Steel pipe 5 Size 990 H X 680 W X 650 D 6 Mechanism Fixed Back</p>				
117	<p>PREMIUM VISITOR CHAIR</p> <p>1. Back Medium Back made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>2. Seat Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>3. Armrests Foam + Leatherette armrest cladded on S type frame</p> <p>4. Base Made of 1.5 mm thick elliptical capsule Stainless Steel pipe</p> <p>5. Size 950 H X 550 W X 500 D</p> <p>6. Mechanism Fixed Back</p>				

168

SI No	Name of the Items	Sample Pictures	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
118	<p>EXECUTIVE VISITOR CHAIR</p> <p>1. Back Medium Back made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>2. Seat Seat made of hot pressed plywood covered with Leatherette Upholstery with High Density Foam</p> <p>3. Armrests Leatherette PU armrest cladded on chair frame</p> <p>4. Base Made of 1.5 mm thick 25 mm diameter stainless steel round pipe</p> <p>5. Size 950 H X 500 W X 450 D</p> <p>6. Mechanism Fixed Back</p>				
119	<p>TABLET CLASSROOM CHAIR 4 LEGS</p> <p>1. Overall Size Total Height: 990mm. Seat Height: 540mm. Depth: 550mm. and width: 540mm Seat size 450x500 mm Back size 460x540 mm</p> <p>2. Tablet size W290xD290mmx18mm thk. Made of pre lam MDF board ISI mark</p> <p>3. Base Base structure made of MS CR Tube of Dai. 19mmx1.2mm thk</p> <p>4. Bottom tray Bottom tray made of wire mesh Fixed in between legs</p> <p>5. Seat & Back Foam Cushion based on hot pressed 12mm thk. ply forms seat and back. Foam 45mm thk 40 density</p> <p>6. Finish: steel frame silver epoxy powder coated with seven tanks process. Coating thickness 50 micron</p> <p>7. The overall appearance of the product shall be as per photograph</p>				
120	<p>PREMIUM 3 SEATER WAITING CHAIR</p> <p>1. Over all size 1760 (L) x 450 (D) x 800 (H)</p> <p>2. Under Structure The under structure is made up of ERW Pipe of diameter 19 mm and 2mm thick & MS Powder Coated in Sparkling Silver and of diameter 39.7x22.6x1.6mm thick elliptical pipe</p> <p>3. Seat : The seat 40mm thick and made of moulded Polyurethane with density 50 - 60 kg/m3. The seat and back joint by HRC sheet size 65 x 6 mm cover with ribs for strength powder coated and cover with PP below</p> <p>4. Back : The back is made of molded Polyurethane foam of thickness 40 mm. The density of the material is 50 – 60 Kg/m3. The seat to back rest height is 420 mm. The backrest height is 338 mm. The backrest width is 480mm</p> <p>5. Arms : The arms are made of polypropylene texture. The arm pad width is 50 mm. The length is 230mm. The arm height above seat is 235mm</p>				

NB : Terms and Condition as on SI. No. - 26

* All the Furniture (Steel/Modular) items mentioned in the list should equivalent to specification of Godrej/ Nilkamal/Durian.



Section - B

Sl No	Name of the Items	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
1	6 watt LED round light for ceiling			
2	6 watt LED round light for surface			
3	6 watt LED square light for ceiling			
4	6 watt LED square light for surface			
5	15 watt LED square light for surface			
6	15 watt LED square light for ceiling			
7	15 watt LED round light for ceiling			
8	15 watt LED round light for surface			
9	20 watt E-lite LED Batten fitting			
10	LED Garden Light, 22 Watt			
11	36 WATT 2/2 " CELING LIGHTS			
12	LED bulbs 12 watt			
13	LED Street Light 50 Watt			
14	LED Street Light 100 Watt			
15	Wall lamp LED, 20 watt			
16	Fountain Light, 6 Watt			
17	36 watt E-lite LED Batten fitting			
18	50 watt E-lite LED Batten fitting			
19	4/4" PVC board			
20	4/6" PVC board			
21	8/6" PVC board			
22	AC Stater 25 amp			
23	Calling bell (Buzzer) with Remote			
24	Capacitor (4) Mf			
25	Capacitor (6) Mf			
26	Capacitor (10) Mf			
27	Capacitor for fan of different Ohm (2.5)			
28	Capacitor for fan of different Ohm (3.5)			
29	Capacitor for fan of different Ohm (4)			
30	Cooler fan motor 18". Plain (ISI), 1350 RPM			
31	Cooler fan motor 20". Desert (ISI), 1400 RPM			
32	Industrial Cooler 30" fan motor (ISI), 950 RPM			
33	Cooler pump. 18 watt.			
34	Down rod for fan 3' foot			
35	Down rod for fan 4' foot			

NB : Terms and Condition as on Sl. No. - 26

Electrical items(category)	Suggested brand/make:-
Bulbs(LED).	Phillips ,Crompton, Havells,
Electrical Wires and fittings	Finolex ,V-Guard, Havells,
Other lights.(LED)	Panasonic, Havells,
Switches	Panasonic, Havells, Le-grande
MCCB,RCCB	Havells, Le-grande
Fan and other equipments	Usha, Havells, .V-GUARD

[Handwritten Signature]

Handwritten mark: a checkmark and some scribbles.

Handwritten mark: '65' with a checkmark.

SI No	Name of the Items	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
36	Down rod for fan 5' foot			
37	Electric Bulb Holder angle			
38	10 amp modular switch			
39	16/20 amp modular switch			
40	Kettle iron connector 16 A			
41	32 DP Switch w/o fuse with neon			
42	32 A DP Switch			
43	CC TV CABLE.			
44	Electric Switch 5/6 Amp modular			
45	Electric Switch 5/6 Amp plain			
46	Electric Switch 15 amp.			
47	Uni switch socket combination unit with box 10A			
48	Uni switch socket combination unit with box 20A			
49	Three Pin 15 amp socket Plain			
50	Three Pin 20 amp socket Plain			
51	Three Pin Plug 15 amp Top			
52	Three Pin Plug 5/6 amp Top			
53	Three Pin Socket 5/6 amp Plain			
54	Pendent holder for bulb			
55	Plugtop multiplugs			
56	Proto spike guard (4 switch + 4 outlet)			
57	AV cable (three core)			
58	CAT-6 wire			
59	1.5 three core copper wire (ISI)			
60	2.5 three core copper wire (ISI)			
61	6 mm wire (silver) (2 core)			
62	Electric wire (Flexible) ISI copper.			
63	Electric wire copper 1mm,/1.5mm			
64	Electric wire copper 2.5 mm			
65	Electric wire copper 4 mm			
66	Electric wire copper 6 mm			
67	Speaker Cable 3 Core			
68	Power cable for Submersible Pump 2.5 mm			
69	Power cable for Submersible Pump 4 mm			
70	Air Circulator fan, ISI, 350/450 wt.			

NB : Terms and Condition as on SI. No. - 26

Electrical items(category)	Suggested brand/make:-
Bulbs(LED).	Phillips ,Crompton, Havells,
Electrical Wires and fittings	Finolex ,V-Guard, Havells,
Other lights.(LED)	Panasonic, Havells,
Switches	Panasonic, Havells, Le-grande
MCCB,RCCB	Havells, Le-grande
Fan and other equipments	Usha, Havells, .V-GUARD

Handwritten signature or initials.

SI No	Name of the Items	Make/Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
71	Ceiling fan 1400 mm/ 78 watt/300 RPM, BLDC Technologies, three blades			
72	Fan (Exhaust fan) 12" COPPER PVC shutter			
73	Fan (Exhaust fan) 18" COPPER			
74	Wall Fan, 55 Wt, 16", 1350 RPM			
75	Stand fan Pedestal, 125 Wt, 20", Metal Body, 1350 RPM			
76	Fan regulator (big size) rotator type			
77	Fan regulator (smallsize) rotator type			
78	Fan Regulator 6 AMP (Modular)			
79	Flex box (2 pin outlet, 1 three outlet, 1 Led)			
80	Hammer Drill machine			
81	Induction heater. 2000 wt			
82	Industrial Box			
83	MCB (6 Amp)SP			
84	MCB (16 amp)SP			
85	MCB (32 Amp)SP			
86	MCB (64 amp)SP			
87	MCB (16 A)DOUBLE POLE			
88	MCB (32 A)DOUBLE POLE			
89	MCB (40 A)DOUBLE POLE			
90	MCB 40 A 4 POLE			
91	MCB 40 A double pole			
92	MCB 40 A four pole			
93	MCB 63 A double pole			
94	MCB 63 A four pole			
95	MCB 63 A 4 POLE			
96	MCB 63 A DOUBLE POLE			
97	RCCB 40 A double pole			
98	Motor Stater 2 HP			
99	Motor Stater 3 HP /5HP			
100	Refrigerator 210 Ltrs five star rating			
101	Stabilizer. 90 input 0.5 KVA			
102	Stabilizer. 90 input 4 KVA			
103	Stabilizer. 130 input 0.5 KVA			
104	Stabilizer. 130 input 4 KVA			
105	Vacum cleaner 1400 watt			
106	Washing machine top load. 6 KG			
107	Washing machine top load. 6.5 KG, Frontload, Automatic			

NB : Terms and Condition as on SI. No. - 26

Electrical items(category)	Suggested brand/make:-
Bulbs(LED).	Phillips ,Crompton, Havells,
Electrical Wires and fittings	Finolex ,V-Guard, Havells,
Other lights.(LED)	Panasonic, Havells,
Switches	Panasonic, Havells, Le-grande
MCCB,RCCB	Havells, Le-grande
Fan and other equipments	Usha, Havells, .V-GUARD

Section - C

Sl No	Name of the Items	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
1	PVC Water Storage Tank, 2000lt (ISI)			
2	½" PVC PIPE (UPVC 80 sch)			
3	UPVC Union 1"			
4	UPVC NPA 1"			
5	UPVC Push Valve 1"			
6	UPVC Push Elbow 1"			
7	UPVC MTA 1"			
8	¾" PVC PIPE			
9	1" PVC PIPE			
10	1 ½" PVC PIPE			
11	2" PVC PIPE			
12	WATER TAP (PLASTIC)			
13	PILLAR COCK (Plain), PVC			
14	PILLAR COCK (extension body) Steel			
15	CONNECTION PIPE			
16	ANGULAR COCK (Plain) PVC			
17	ANGULAR COCK (SS) with wall Flange			
18	½" X 2" SHORT PIECE, GI			
19	½" X 4" SHORT PIECE, GI			
20	½" X 6" SHORT PIECE, GI			
21	½" SOCKET, PVC			
22	½" ELBOW, PVC			
23	½" X ½" X ½" TEE, PVC			
24	½" UNION, PVC			
25	½" PLUG, PVC			
26	½" BALL VALVE, PVC			
27	¾" ELBOW, PVC			
28	¾" X 1" RS, PVC			
29	¾" PLUG, PVC			
30	¾" SOCKET, PVC			
31	¾" UNION, PVC			
32	¾" FULL WAY VALVE, PVC			
33	¾" Ball Value, PVC			
34	2" SOCKET, PVC			
35	2" ELBOW, PVC			
36	2" TEE, PVC			
37	2" UNION, PVC			
38	2" Ball Valve, PVC			
39	1" SOCKET, PVC			

NB : Terms and Condition as on Sl. No. - 26

Plumbing items. (Category)	Suggested brand /make.
C.P fittings	Jaguar, Essco, Parry ware.
All PVC pipes and fitting items	Astral, Supreme, Oriplast.
Ceramic Products	Parry ware, Essco, Jaguar.

62

SI No	Name of the Items	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
40	1" ELBOW, PVC			
41	1" TEE, PVC			
42	1" BALL COCK, PVC			
43	1" FULL WAY VALVE, PVC			
44	1" BALL VALVE, PVC			
45	1" UNION, PVC			
46	1 1/2" WAIST			
47	WASTE PIPE 1 1/2"			
48	1 1/2" SOCKET, PVC			
49	1 1/2" ELBOW, PVC			
50	1 1/2" TEE, PVC			
51	1 1/2" UNION, PVC			
52	1 1/2" Elbow, PVC			
53	1 1/2" ball valve, PVC			
54	Solvent cement 100 ml			
55	M. Seal, 100 gm			
56	Wash Basin (Porcelains) with wall fixing accessories (Oval Shape), Size - 560 * 430 * 195 mm			
57	Full Pedestal Basin with fixing accessories, Size - 585 * 450 * 220 mm			
58	Bib cock with extended liver handle with wall Flange			
59	Basin Waste Coupling 32 mm 1/2 thread with 88 mm height			
60	Bib cock short body, PVC			
61	Bib cock short body with wall Flange, SS			
62	Bib cock long body, PVC			
63	Bib cock long body with wall Flange, SS			
64	Cysten			
65	2 in 1 Faucet with wall fitting, 1.5 mtr tube, PVC			
66	Hand Faucet with 1.5 mtr long flexible tube with wall hook, (Chrome Finish)			
67	Towel Rod			
68	liquid Soap dispenser .			
69	Soap holder			

NB : Terms and Condition as on SI. No. - 26

Plumbing items.(Category)	Suggested brand /make.
C.P fittings	Jaguar, Essco, Parry ware.
All PVC pipes and fitting items	Astral, Supreme, Oriplast.
Ceramic Products	Parry ware, Essco, Jaguar.

(Handwritten Signature)

SI No	Name of the Items	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
70	Overhead normal Shower 80 mm dia round shape			
71	Shower Arm Casted 160 mm long wall mounted with Flange			
72	Geyser (15 ltrs) vertical water heater, 230 v, 2 KW, five star rated. Digital, Warranty - 4 Years			
73	Submersible pump (2 HP), Stage 30, Five Star rated, water filled, 1 Year Warranty with Nozzle Joint Kit SS, Stage - 30 single Phase.			
74	Submersible pump (3 HP), Stage 30, Five Star rated, water filled, 1 Year Warranty with Nozzle Joint Kit SS, Stage - 30, Single Phase/ Three Phase			
75	Submersible pump (5 HP), Stage 30, Five Star rated, water filled, 1 Year Warranty with Nozzle Joint Kit SS, Stage - 30, Three Phase			
76	Water pump (1HP), Five Star rated			
77	Water Pump Monoblock 1 HP, Five Star rated			
78	Vertical Multistage Pump, 1.5 HP, PH - 1			
79	Jet Pump, PH- `1, 0.5 HP			
80	Jet Pump, PH- `1, 1 HP			
81	Stain Steel Sewage Sump Pump, PH-1, 1.5 HP			
82	Stain Steel Sewage Sump Pump, PH-1, 2 HP			
83	Steel sink 24/16			
84	Sink waste.			
85	Teflon Tape (PHD)			
86	Push Pillar Cock, SS			
87	Push Bib Cock, SS			
88	Aqua Guard (Nozzle)			
89	Aqua Guard 3/4" Pipe			
90	Premium C.P.			

NB : Terms and Condition as on SI. No. - 26


Plumbing items. (Category)	Suggested brand /make.
C.P fittings	Jaguar, Essco, Parry ware.
All PVC pipes and fitting items	Astral, Supreme, Oriplast.
Ceramic Products	Parry ware, Essco, Jaguar.

(Handwritten signature)

Section - D

Sl No	Name of the Items	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
1	Aluminium Ladder, 6 Foot			
2	Amplifier/ PA Mixer SSD/20 DP, 12v			
3	Lithium Battery 1.5v			
4	Lithium Battery 3v			
5	Battery 9 Volt (Alkaline)			
6	Battery AA (Alkaline)			
7	Battery, 12 v Dry cell, 100 Ah			
8	Battery, 12 v Dry cell, 120 Ah			
9	Battery, 12 v Dry cell, 160 Ah			
10	Battery, 12 v Dry cell, 150 Ah			
11	Battery Small for AC remote AAA, Alkaline			
12	Battery R20 (Alkaline)			
13	Battery R14 (Alkaline)			
14	CD Marker			
15	White Board (3 * 2) foot			
16	White Board Marker			
17	Broom Stick, Coconut			
18	Slipper (6/7/8/9/10), Plain/COLOURED			
19	Detergent Powder, Per Kg			
20	DISH WASH LIQUID, Per LTR			
21	Ordinary Liquid Hand Wash, 1 Ltr jar			
22	Door mate (Size - 2' * 3') Rubber Make			
23	Door Mate, Green Grass			
24	Door Screen 6' * 4' Plastic			
25	Window Screen 4' * 4' (Plastic)			
26	Bed Sheet Colour, 6 * 3 F			
27	Bucket Fiber/Plastic cover, 20 Litrs			
28	Dust Bin Plastic 1100 Ltrs			
29	Dust Bin Plastic 660 Ltrs			
30	Dustbin (Foot Operated), 10 Ltrs			
31	Dustbin 50 Ltrs			
32	Dustbin 240 Ltrs			
33	Dustbin 500 Ltrs			
34	Electrical Tool Kit			
35	Flexible watering Pipe 1/2"			
36	Flexible watering Pipe 3/4"			
37	Hand Dryer Automatic			
38	Hand Gloves (Rubber)			
39	Hand Wash Liquid (Lifeboy/Dettol), 250 ml Bot			
40	Hand Wash Liquid (Lifeboy/Dettol), 750 ml Bot			
41	Hand Wash Liquid (Lifeboy/Dettol), 5 Ltrs jar			
42	Soap (Small), 20 grms, LIFEBOUY/DETTOL			
43	Soap (Small), 40 grms, LIFEBOUY/DETTOL			
44	Soap for Washing Cloth			
45	Indian Chain 2ft SS make			
46	Mosquito repellent liquid refill Pack 45 ml			
47	Mosquito repellent liquid with Machine			
48	PA Speaker (Two Way)			

SI No	Name of the Items	Make/ Brand	EACH RATE EXCLUDING GST	Applicable Tax (GST %)
49	Padlock 31, Medium Size with 3 Keys			
50	Padlock 65 , Big Size with 3 Keys			
51	PHD Tool Kit			
52	Plastic Mug 1/2 Ltr			
53	Polythene Roll			
54	Road Barrier, PVC			
55	Rat Kill, Cake based			
56	Shovel			
57	Slipper (6/7/8/9/10), Plain/COLOURED			
58	Spade			
59	Spray Bottle, 1 Ltr			
60	Traffic Cone, PVC			
61	Baby Wrapping Towel			
62	Turkish Towel (Colored), Size - Big			
63	Turkish Towel (Colored), Size - Small			
64	Swing Machine Thread 400 mtrs, (Blue/Black/White)			
65	Uniform Paint (Cloured/Size - 28, 30, 32, 34, 36)			
66	Uniform Shirt (Cloured/Size - M, L, XL, XXI)			
67	Waste Collection Bag, Balck			
68	Wheel Barrow			
69	Winger Trolley (Three Bucket)			
70	Zip Lock Pouch (L)			
71	Wiring nail/Screw			
72	Wooden screw 35 mm.			
73	Gripper 38 mm.			
74	Sanitary Spray Machine (Auto, Battery Operated)			
75	Wall clock Electronic.			
76	Wall clock (Analog)			
77	Adhesive tap. (red, Black , yellow)			


 Superintendent
 VIMSAR, Burla