

Email – vimsarsuptd24@gmail.com
OFFICE OF THE SUPERINTENDENT
VSS INSTITUTE OF MEDICAL SCIENCES & RESEARCH BURLA
(SAMBALPUR)

No. 19764 /VIMSAR Dated: 20/12/25

TENDER CALL NOTICE

Sealed tenders are hereby invited from the Registered Firms/ Authorized Dealers having GST Registration for supply of Computer Set, UPS and Laser printer so as to reach the office of the Superintendent, VSS Institute of Medical Sciences & Research, Burla on or before dt: 15-01-2026 up to 5.00 PM through Regd. Post/Speed Post/Couriers only and will be opened on dt: 16-01-2026 at 11.30 AM. The tenderer may attend the office at the time of opening of the tenders.

The detailed terms and conditions along with the technical specifications can be had from the office of the Superintendent, VIMSAR, Burla and can be down loaded from the website www.vimsar.ac.in and <http://sambalpur.odisha.gov.in>

The Undersigned/Committee reserves the full right to accept in full or part & reject any or all the tenders without assigning any reasons thereof.


Superintendent
VIMSAR, Burla

TERMS AND CONDITIONS

1. The tenderer should be a Registered Firm under GST Act.
2. The rate should be quoted inclusive of all taxes except GST. The GST charges should be clearly mentioned.
3. The delivery of the item should be made in the main medical store of this Hospital in good condition.
4. Any conditional Tender will not be accepted.
5. No advance payment will be made against execution of order. Payment will be released only after successful supply of the items.
6. The rate should be valid for One year from the date of approval.
7. Original documents may be produced for verification if asked for.
8. If any information/documents furnished by the tenderers with their tender papers are found to be misleading or incorrect, at any stage their tenders will be cancelled.
9. Original Equipment Manufacturer (OEM) Present in India 20 years or above (Bidder Must Submit OEM Incorporation Certificate) and OEM should have a registered office in India to provide after sales service support in India. Proof copy must be enclosed.
10. The tenderer or their Principal firm/ OEM must have dedicated/ toll free telephone No. for service support . Proof copy must be enclosed.
11. Escalation Matrix for service support: Bidder/OEM must provide Escalation Matrix of telephone numbers for service support. Proof copy must be enclosed.
12. The authorization should be in OEM Letter Head with Seal, Signature, Name, Email Id, Designation and Contact Number. (Authorization to be verified by OEM for authenticity) (For all products)
13. The tenderer has to produce the Warranty Certificate of the supplied items with Brand , Model in OEM Letter Head with seal, signature, Name, Email Id, Designation and contact Number from local Manager.
14. OEM must have the rating of 1-3 in the latest IDC report.
15. All LEGAL MATTERS ARE SUBJECT TO IN SAMBALPUR ONLY.
16. The tenders should be furnished in time with sealed cover duly super scribed as **"TENDER FOR SUPPLY OF COMPUTER SET AND DUE DATE IS DT. 15-01-2026 UP TO 05.00 P.M.**
17. The tenders will be received up to 5.00 P.M. of dt.15-01-2026 through Regd.Post/Speed Post/Courier only to the office of the Superintendent, VSS Institute of Medical Sciences & Research, Burla. The tenders received beyond the scheduled date & time will not be entertained. The postal/courier delay is the responsibility of the tenderers. The tenders will be opened on dt.16-01-2026 by a Committee at 11.30 A.M. The tenderer may attend while opening the tenders.
18. The cost of the Tender call Notice is Rs.2000/- which is non refundable. The cost of tender should be deposited in shape of Bank Draft drawn in favour of the Superintendent, VIMSAR, Burla to be enclosed with the tender documents.

19. The following documents will be enclosed in the tender paper.
- (i) GST Registration Certificate.
 - (ii) PAN Card.
 - (iii) Rs. 15,000/- in shape of NSC/Bank Draft/FDR duly pledged in favour of the Superintendent, VSS Institute of Medical Sciences & Research, Burla should be deposited as EMD which will be refunded after selection of the rate. If any exemption to be availed than the authentic supporting documents to be enclosed otherwise their tender may be cancelled.
 - (iv) Original authorization letter of the Principal Firm with seal & signature of the Original Equipment Manufacturer(OEM) should be enclosed in the tender with due attested, if the firm is an authorized dealer.
 - (v) The Bank Draft of Rs.2000/- drawn in favour of the Superintendent, VIMSAR, Burla towards cost of tender paper to be enclosed in the tender. If any exemption to be availed than the authentic supporting documents to be enclosed otherwise the tender may be cancelled.
 - (vi) An undertaking regarding "The quoted rates are not more than the prevailing market price" and will be valid for one year.
 - (vii) The tenderer should enclose the OEM product certification for safety & Quality. BIS, CE, FCC, ROHS, EPEAT, Energy Star, TCO, MIL STD 810H, ISO 9001, ISO 14001, ISO 20001, ISO 27001 and Linux Certificate of the OEM.
 - (viii) IT returns of three preceding financial years. Audit Reports along with Balance sheet & Turnover Certificate signed by a Chartered Accountant.
 - (ix) The tenderer should provide Not Being Black listed from any Govt. Organization in Non-Judicial stamp paper with appropriate value of Rs.20 stamp paper.

The undersigned/committee reserves the full right to accept in full or part or reject any or all the tenders without assigning any reasons thereof. The selection will be made on quality basis wherever necessary.


Superintendent,
VSS Inst. of Med. Sc. & Research, Burla

Specification for Desktop

Items	Required Value
Cabinet Form Factor	Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel H770/Intel or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	14th Or higher
Number of Cores and Threads per Processor	Intel Core i7-14700 with Intel UHD Graphics 770 (1.5 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 28 MB L2 cache, 8 P-cores and 12 E-cores, 28 threads)
Operating System	Windows 11 Professional
RAM Size (GB)	DDR-4 16GB 3200 (16 X1) or higher (2 DIMM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHD Graphics or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two (3.5") & (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Bidder should submit OEM bid specific authorization (MAF), Compliance sheet and Warranty declaration on OEM letter head with the local authorized signatory. These documents may be verified by the respective OEM if required. Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6 nos USB in front bezel for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
Keyboard Mouse	USB Keyboard; USB Optical Mouse
Monitor	21.5" LED Display with CTO Certified and same must belong to the same OEM
Years of Warranty	3 Years Onsite Warranty

Dr. [Signature]


Superintendent
JSS Institute of Medical Sciences & Research
Burla, Sambalpur

LINE INTERACTIVE UPS

GENERIC	
Rating (in KVA)	0.65
Technology	MOSFET-PWM
Inverter Efficiency (%)	60% or better
Minimum Guaranteed Battery Backup time (Minutes) on Full Load	15
Warranty for Line Interactive UPS	2 Years
Battery/Backup Bank	
Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
Location of Battery	Inside the Enclosure of UPS
Battery capacity (Ah)	7Ah
Minimum Guaranteed VAH provided to meet or exceed minimum guaranteed Back up time	84
Battery Make (hint: Name of the Brand)	CyberPower
Battery Model Number	CyberPower
Number of Batteries	1
Weight of the Battery (kg)	2
Warranty for the battery from the date of delivery	2 Years
Enclosure	ABS
Degree of protection	IP 20
Gross Weight (UPS+Battery) (kg)	4
Rated Output (Volt) with Total Harmonic Distortion (%)	Single Phase Sinewave 230v AC 50Hz with Total Harmonic Distortion as <3%
Input (Volt)	Single Phase AC (160-280V)
Salient Features	Maximum 10 milliseconds Switching over time, Load Power Factor ≥ 0.6
Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-15%
Protection	Under voltage Protection (Input Voltage <160 V), Overvoltage Protection (Input Voltage >280V)
BUYER SPECIFIC REQUIREMENT	
Environmental Test Report Requirements	Damp heat Test at 45-degree, Cold Test as per IS:9000 pt-2/sec-4
Any Other Requirements	As per Meity (Government of India) guidelines UPS shall have valid IS16242-Part 1 CRS certification


Superintendent
JSS Institute of Medical Sciences & Research
Burla, Sambalpur

MULTIFUNCTION MACHINE

Generic	
Description of Stores	1 Year warranty
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	64
Storage Capacity (in GB)	0
Features	NA
Operating System Compatibility	Windows 10 and above, Linux, Mac OS, Windows Server
Printing	
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	21 PPM
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	No
Scanning	
Maximum Scan Area (Platen/Flatbed Size)	A4
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	1 to 5
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	1 to 5
COPYING	
Reduction and Enlargement Feature	Yes
PAPER HANDLING	
Original Document Feeder Type (For Scanning and Copying)	Platen
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	NA for Platen
Number of Main Paper Tray	1
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port
Accessories Provided	USB Cable

Performance

Minimum Yield of the Cartridge/Ink/Toner supplied with machine as per IS/ISO/IEC: 19752/2017/24712/24711 for Black (Number of Prints)	1500
Minimum Yield of the Cartridge/Ink/Toner supplied with machine as per IS/ISO/IEC: 19798/2017/24712/24711 for Cyan, Yellow and Magenta color (Number of Prints)	0
Minimum Duty Cycle (Number of Prints/Month)	5,001 to 10,000
Power	
Power Supply	Single Phase AC 220-240 V, 50-60 Hz
Maximum Power Consumption (in Watt)	501
Environmental	
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (Degree C)	30
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
Dimension	
Standard Machine Weight with Single Tray (in Kg)	8
Certification	
BIS CRS Compliance	Yes, as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacture/ authorized importer as per E waste rules as amended up to date	Yes
Agreed to provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes


 Superintendent
 VSS Institute of Medical Sciences & Research
 Burla, Sambalpur